INDEXES TO THE JOURNAL AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 69, 1986

AUTHOR INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications;* numbers following are *page* numbers.

Advani, S. H. See Faber, Katherine T.

Agrawal, Dinesh K.; Stubican, Vladimir S.; and Mehrotra, Yagesh
Germanium-modified cordierite ceramics with low thermal expansion. (12) 847

Agren, John See Bergman, Bill

Akashi, Tamotsu; and Sawaoka, Akira
Dynamic compaction of cubic boron nitride powders. (4) C78

Allison, Craig; and Williams, Wendell S.
Measurement of carbon:metal ratio in a single grain of non-stoichiometric titanium carbide. (1) C2

Anderson, Alfred B. See Grimes, Robin W.

Anderson, Harlan U. See Guha, Jyoti P.

Ando, Ken See Sakka, Yoshio

Angel, Paul W.; Ray, Chandra S.; and Day, Delbert E.
Glass formation and properties in the system calcia-galliagermania—reply. (6) C134

Arai, Hiromichi See Eguchi, Koichi

Baik, Sunggi
Segregation of Mg to the (0001) surface of single-crystal alumina: Quantification of AES results. (5) C101

Ball, C. J. See Kelly, P. M.

Bamberger, Carlos E.; and Begun, George M.
Synthesis of BN using BPO_4 as the boron source. (5) C95

Bamberger, Carlos E.; Begun, George M.; and Dunn, H. W.
System TiO_2-$Bi_4Ti_4O_{11}$. (5) C93

Bannister, Michael J.; and Barnes, Judith M.
Solubility of TiO_2 in ZrO_2. (11) C269

Barnes, Judith M. See Bannister, Michael J.

Barringer, Eric A. See Okamura, Hiromichi

Baumgartner, Charles E.
Solubility and transport of NiO cathodes in molten carbonate fuel cells. (2) 162

Bean, Paul E. See Tomozawa, Minoru

Begun, George M. See Bamberger, Carlos E.

Beier, Wolfram; Goktas, A. Aydin; and Frischat, Guenther H.
Preparation of SiO_2-TiO_2-ZrO_2 glasses from alkoxides. (7) C148

Bentley, J. See More, K. L.

Bergman, Bill
Solid-state reactions between CaO powder and Fe_2O_3. (8) 608

Bergman, Bill; and Agren, John
Immiscibility in the CoO-NiO system. (10) C248; Thermodynamic assessment of the system CoO-MnO. (12) 877

Berk, N. F. See Hardman-Rhyne, K. A.

Berry, Kim A.; and Harmer, Martin P.
Effect of MgO solute on microstructure development in Al_2O_3. (2) 143

Besmann, Theodore M.
Thermodynamic analysis of the chemical vapor deposition of composite <Si_3N_4><BN> coatings. (1) 69

Beyerlein, Robert A. See Lewandowski, Joseph T.

Birnie, Dunbar P., III
Model for silicon self-diffusion in silicon carbide: Anti-site defect motion. (2) C33

Biswas, Dipak R.; and Oh, Paul S.
Preparation of ultrafine silica-germania powders using an inductively coupled plasma torch. (5) C90

Blendell, John E. See Ritter, J. J.

Block, Stanley; Piermarini, Gasper J.; and Hockey, Bernard J.
High-pressure transformation toughening: A case study on zirconia. (6) C125

Boch, Philippe; Chartier, Thierry; and Huttepain, Marie!
Tape casting of Al_2O_3/ZrO_2 laminated composites. (8) C191

Bogdanov, B. I.; Chomakov, I.; and Iliev, Y.
Effect of some additives on the specific surface of alumina obtained from aluminum-ammonium alum. (8) C179

Bonnell, D. A.; Ruhle, Manfred; and Tien, T.-Y.
Redistribution of aluminum ions during processing of sialon ceramics. (8) 623

Bordia, Rajendra K.; and Raj, Rishi
Analysis of sintering or a composite with a glass or ceramic matrix. (3) C55

Borovinskii, Sergei V.; and Mazurin, Oleg V.
Universal method of stress analysis of viscoelastic-elastic composites. (2) 102

Bowen, H. Kent See Glaeser, Andreas M.; Okamura, Hiromichi

Bradley, John P. See Lu, Grant

Bradt, Richard C. See Li, Z.; Ohira, H.; Sorrell, Charles C.

Brandon, David G. See Chaim, Rahman

Brewer, James A. See Scott, Curtis E.

Brinker, C. Jeffrey; and Scherer, George W.
Dehydration of gels and glasses in the systems B_2O_3-SiO_2 and ZrO_2-SiO_2 prepared by the sol-gel process from metal alkoxides—comment. (1) C12

Brite, D. W. See Goldman, Don S.

Brockenbrough, John R.; Forsythe, L. Edgar; and Rolf, Richard L.
Reliability of brittle materials in thermal shock. (8) 634

Brook, Richard J. See Shaw, N. J.

Brow, Richard K.; and Pantano, Carlo G.
Compositionally dependent Si 2*p* binding energy shifts in silicon oxynitride thin films. (4) 314

Brynestad, Jorulf See Lindemer, Terrence B.

Bularzik, J.; Davies, Peter K.; and Navrotsky, Alexandra
Thermodynamics of solid-solution formation in NiO-CuO. (6) 453

Bunker, Bruce C. See Michalske, Terry A.

Burger, Wolfgang See Dworak, Ulf

Burlew, Joan V. See Fanelli, Anthony J.

Burns, S. J.; and Swain, Michael V.
Fracture toughness of MgO-partially-stabilized ZrO_2 specimens with K_R-curve behavior from transformation toughening. (3) 226

Butler, E. Paul See Witek, S. R.

Butts, Michael B. See Mackert, J. R., Jr.

Camaratta, Frank A. See El Leil, Mahmoud M. Abou

Canfield, Steven See Davies, Peter K.

Cannon, R. M. See Glaeser, Andreas M.

Carmichael, Ian S. E. See Stein, Daniel J.

Carr, William H. See Hollabaugh, Curtis L.

Carry, Claude; and Mocellin, Alain
Superplastic creep of fine-grained $BaTiO_3$ in a reducing environment. (9) C215

Carter, C. B. See Susnitzky, David W.

Carter, Calvin H., Jr. See More, K. L.

Carter, Clive B. See Susnitzky, David W.

Castaing, Jacques See Routbort, Jules L.

Catlow, C. R. A.; Chadwick, A. V.; and Greaves, G. N.
EXAFS study of yttria-stabilized zirconia. (3) 272

Cawley, James D.; and Halloran, John W.
Dopant distribution in nominally yttrium-doped sapphire. (8) C195

Chadwick, A. V. See Catlow, C. R. A.

Chaim, R. See Lanteri, V.

Chaim, Rahman; Heuer, Arthur H.; and Brandon, David G.
Phase equilibration in ZrO_2-Y_2O_3 alloys by liquid-film migration. (3) 243

Chakravorty, A. K.; and Ghosh, D. K.
Diphasic xerogels, a new class of materials: Phases in the system Al_2O_3-SiO_2—comment. (8) C202

Chakravorty, A. K.; Ghosh, D. K.; and Kundu, P.
Structural characterization of the spinel phase in the kaolin-mullite reaction series through lattice energy—comment. (8) C200

Chan, Helen M. See Chen, Jie; Hu, Yung H.

Chan, Helen M.; Harmer, Martin P.; and Smyth, Donald M.
Compensating defects in highly donor-doped $BaTiO_3$. (6) 507; —Correction. (9) 720

Chartier, Thierry See Boch, Philippe

Chaudhri, M. M.; and Kurkjian, Charles R.
Impact of small steel spheres on the surfaces of "normal" and "anomalous" glasses. (5) 404

Chen, I-Wei; and Reyes Morel, P. E.
Implications of transformation plasticity in ZrO_2-containing ceramics: I, Shear and dilatation effects. (3) 181

Chen, I-Wei
Implications of transformation plasticity in ZrO_2-containing ceramics: II, Elastic-plastic indentation. (3) 189

Chen, Jie; Gorton, Andrew; and Chan, Helen M.
Effect of powder purity and second phases on the dielectric properties of lead magnesium niobate ceramics. (12) C130

Chick, Lawrence A.; Lokken, Ryan O.; and Strachan, Denis M.
Development of a West Valley nuclear waste glass by empirical modeling. (2) 114

Chien, P.-L See Seaverson, L.

Chokshi, Atul H.; and Porter, John R.
Concurrent grain growth during creep of polycrystalline alumina. (2) C37
Chomakov, I. See Bogdanov, B. I.
Chou, Ye T. See Wang, Zhanyi Y.
Claar, Terry See Majumdar, Saurin
Clark, Terence J.; and Reed, James S.
Kinetic processes involved in the sintering and crystallization of glass powders. (11) 837
Claussen, Nils See Ruhle, Manfred
Claussen, Nils; Weiskopf, K.-L.; and Ruhle, Manfred
Tetragonal zirconia polycrystals reinforced with SiC whiskers. (3) 288
Conway, Joseph C.; and Kirchner, Henry P.
Crack branching as a mechanism of crushing during grinding. (8) 603
Cooper, Alfred R. See Roach, David H.
Cooper, J. A.; Cousens, D. R.; and Hanna, J. A.
Intergranular films and pore surfaces in synroc C: Structure, composition, and dissolution characteristics. (4) 347
Costello, John A.; and Tressler, Richard E.
Oxidation kinetices of silicon carbide crystals and ceramics: I, In dry oxygen. (9) 674
Cousens, D. R. See Cooper, J. A.
Czernuszka, J. T. See Page, Trevor F.
D'Yvoire, Ferdinand See Dubois, Beatrice
Dalmon, Keiji See Murase, Yoshio
Davies, Peter K.
NiO-CuO solid solutions using transmission electron microscopy: I, Microstructure. (11) 796; NiO-CuO solid solutions using transmission electron microscopy: II, Evidence for long-range cations order. (11) 800; See also Bularzik, J.
Davies, Peter K.; and Canfield, Steven
Thermodynamic mixing properties of sodium-potassium β''-aluminas. (4) C62
Davies, Peter K.; and Mackinnon, Ian D. R.
Oxide reduction in NiO-containing solid-solution systems during transmission electron microscopy. (6) C124
Davis, Burton I. See Lange, F. F.
Day, Delbert E. See Angel, Paul W.; Rajaram, Mohan
De Jonghe, Lutgard C. See Rahaman, Mohammed N.; Weiser, Martin W.
Dhalenne, Guy See Dubois, Beatrice
Digenova, Rocco R. See El Leil, Mahmoud M. Abou
Doi, Haruo See Noda, Shoji
Dominguez-Rodriguez, A.; Lagerlof, K. P. D.; and Heuer, Arthur H.
Plastic deformation and solid-solution hardening of Y_2O_3-stabilized ZrO_2. (3) 281; —Correction. (12) 896
Dominguez-Rodriguez, A.; Lanteri, Vincenzo; and Heuer, Arthur H.
High-temperature precipitation hardening of two-phase Y_2O_3-partially-stabilized ZrO_2 single crystals: A first report. (3) 285
Donaldson, Kimberly Y.; and Hasselman, D. P. H.
Comparative single-point diamond scratching behavior of a cordierite glass and glass-ceramic. (12) C296
Donlon, William T. See McCune, Robert C.
Drehman, Alvin J.
Viscous flow vs phase separation during calorimetric analysis of fluoride glasses. (12) C306
Drennan, John; and Hannink, Richard H. J.
Effect of SrO additions on the grain-boundary microstructure and mechanical properties of magnesia-partially-stabilized zirconia. (7) 541
Drofenik, Miha H.
Grain growth during sintering of donor-doped $BaTiO_3$. (1) C8
Dubois, Beatrice; Dhalenne, Guy; and D'Yvoire, Ferdinand
Crystallography of the directionally solidified NiO-Gd_2O_3 eutectic. (1) C6
Duckworth, Winston H. See Rosenfield, Alan R.; Shetty, Dinesh K.
Duncan, William J.
Fatigue weakening of optical fiber. (6) C132
Dunlop, G. L. See Lange, F. F.
Dunn, H. W. See Bamberger, Carlos E.
Dworak, Ulf; Olapinski, Hans; and Burger, Wolfgang
Dilatation behavior of two differently heat-treated commercial magnesia-partially-stabilized zirconias. (7) 578
Dyar, M. Darby
Ferrous/ferric Mossbauer analysis of simulated nuclear waste glass with and without computer fitting—comment. (7) C160
Eastman, Jeffrey A.; and Sass, Stephen L.
Influence of iron solute on the structure of small-angle [001] twist boundaries in magnesium oxide. (10) 753
Eguchi, Koichi; Kunisaki, Toshiya; and Arai, Hiromichi
Effect of microstructures on the ionic conductivity of ceria-calcia oxides. (11) C282
El Leil, Mahmoud M. Abou; Camaratta, Frank A.; and Digenova, Rocco R.
Impact fracture of chemically tempered glass helicopter windshields. (9) 713
Evans, A. L. See Morena, Robert
Evans, Anthony G. See Hsueh, Chun-Hway; Loh, R. L.; Sbaizero, O.
Evans, Anthony G.; and Hsueh, Chun-Hway
Behavior of large pores during sintering and hot isostatic pressing. (6) 444
Evans, Brian See Olgaard, David L.
Faber, Katherine T.; Advani, S. H.; and Lee, J. K.
Frictional stress evaluation along the fiber-matrix interface in ceramic matrix composites. (9) C208
Fairbanks, Carolyn J. See Oguma, Masaomi
Fanelli, Anthony J.; and Burlew, Joan V.
Preparation of fine alumina powder in alcohol. (8) C174
Farris, Thomas N. See Keer, Leon M.
Fayos, Jose See Perez-Mendez, Mercedes
Flandermeyer, Brian See Majumdar, Saurin
Forsythe, L. Edgar See Brockenbrough, John R.
Frechette, Van Derck See Oel, Heribert J.
Freiman, S. W. See Michalske, Terry A.
Frischat, Guenther H. See Beier, Wolfram; Gehrmann, Ebba
Fujii, Kinjiro; Kondo, Wakichi; and Ueno, Hisahiro
Kinetics of hydration of monocalcium aluminate. (4) 361
Fujitsu, Satoru See Marra, Robert A.
Fyfe, Colin A. See Komarneni, Sridhar
Gardner, John A. See Jaeger, Herbert
Garratt-Reed, A. J. See Przbylski, Kazimierz
Gehrke, Eckhard See Ullner, Christian
Gehrmann, Ebba; and Frischat, Guenther H.
Influence of batch moisture on melting behavior of glass. (4) C84
Geisinger, Karen See Navrotsky, Alexandra
Gerhardt, R.; and Nowick, A. S.
Grain-boundary effect in ceria doped with trivalent cations: I, Electrical measurements. (9) 641
Gerhardt, R.; Nowick, A. S.; and Mochel, M. E.
Grain-boundary effect in ceria doped with trivalent cations: II, Microstructure and microanalysis. (9) 647
German, R. M.
Liquid-phase sintering in thick-film resistor processing—comment. (2) C40
Ghosh, D. K. See Chakravorty, A. K.
Glaeser, Andreas M.; Bowen, H. Kent; and Cannon, R. M.
Grain-boundary migration in LiF: I, Mobility measurements. (2) 119; Grain-boundary migration in LiF: II, Microstructural characteristics. (4) 299
Goktas, A. Aydin See Beier, Wolfram
Goldman, Don S.
Ferrous/ferric Mossbauer analysis of simulated nuclear waste glass with and without computer fitting—reply. (7) C162
Goldman, Don S.; and Brite, D. W.
Redox characterization of simulated nuclear waste glass. (5) 411
Goldman, Don S.; Brite, D. W.; and Richey, W. C.
Foaming in liquid-fed melting of simulated nuclear waste glass. (5) 413
Goo, E.; Yamamoto, T.; and Okazaki, Kiyoshi
Microstructure of lead-magnesium niobate ceramics. (8) C188
Goretta, Kenneth C. See Routbort, Jules L.
Gorton, Andrew See Chen, Jie
Graham, Earl K. See Murtagh, Martin, J.
Greaves, G. N. See Catlow, C. R. A.
Green, David J.; and Maloney, B. R.
Influence of surface stress on indentation cracking. (3) 223
Grimes, Robin W.; Anderson, Alfred B.; and Heuer, Arthur H.
Defect clusters in nonstoichiometric 3*d* transition-metal monoxides. (8) 619
Groetsch, John G., Jr See Sorrell, Charles C.
Groves, G. W. See Perez-Mendez, Mercedes
Groves, G. W.; Le Sueur, P. J.; and Sinclair, W.
Transmission electron microscopy and microanalytical studies of ion-beam-thinned sections of tricalcium silicate paste. (4) 353
Grzeta, B. See Matkovic, Boris
Guha, Jyoti P.; and Anderson, Harlan U.
Preparation of perovskite $Pb(Mg_{1/3}Nb_{2/3})O_3$ using $Ph_3Nb_2O_8$ and MgO. (11) C287; Reaction during sintering of barium titanate with lithium fluoride. (8) C193
Gulati, Suresh T. See Matthewson, M. John
Guo, Jing-kun See Wen, Shu-lin
Haberey, Florian; and Sahl, Kurt
Solid solutions in the system $LaMgAl_{11}O_{19}$-$LaMgGa_{11}O_{19}$-$LaMgFe_{11}O_{19}$—reply. (11) C290
Halloran, John W. See Cawley, James D.
Hanna, J. A. See Cooper, J. A.
Hannink, Richard H. J. See Drennan, John; Hughan, Robert R.; Muddle, B. C.
Hannink, Richard H. J.; Porter, John R.; and Marshall, David B.
Direct observation of cycled phase transformations in zirconia. (6) C116
Hardman-Rhyne, K. A.; and Berk, N. F.
Small-angle neutron scattering from porosity in sintered alumina. (11) C285
Harmer, Martin P. See Berry, Kim A.; Chan, Helen M.; Wang, Zhanyi Y.
Hasselman, D. P. H. See Donaldson, Kimberly Y.; Oguma, Masaomi; Welsh, Theresa M.
Hastings, Ian J.; Rose, David H.; and Kelm, John R.
Air oxidation of UO_2 fuel fragments at 175° to 400°C. (2) C16
Hattori, Takeo; Yoshimura, Masahiro; and Somiya, Shigeyuki
High-pressure hot isostatic pressing of synthetic mica. (8) C182
Hayashi, Yoshihiro; Kimura, Toshio; and Yamaguchi, Takashi
Mechanism of Ni-Zn ferrite formation in the presence of molten Li_2SO_4-Na_2SO_4. (4) 322
Haygarth, John C. See Jaeger, Herbert
Hechler, J. J. See Van Roode, M.
Heuer, Arthur H. See Chaim, Rahman; Dominguez-Rodriguez, A.; Grimes, Robin W.; Kibbel, Bradley W.; Kraus-Lanteri, S. P.; Lanteri, Vincenzo; McCoy, M.; Ruhle, Manfred
Heuer, Arthur H.; Lange, F. F.; and Swain, Michael V.
Transformation toughening: An overview. (3) i
Hill, Susan See Scott, Curtis E.
Hillert, Mats; and Jansson, Bo
Thermodynamic model for nonstoichiometric ionic phases—application to CeO_{2-x}. (10) 732
Hioki, Tatsumi See Noda, Shoji
Hirao, Kazuyuki See Tomozawa, Minoru
Hirao, Kiyoshi; Miyamoto, Yoshinari; and Koizumi, Mitsue
Synthesis of silicon nitride by a combustion reaction under high nitrogen pressure. (4) C60
Hirth, J. P. See Hoagland, Richard G.
Hiuga, Takehiro See Yoshimura, Masahiro
Hoagland, Richard G.; and Hirth, J. P.
Dilatant center-crack tip interaction effects. (7) 530
Hockey, Bernard J. See Block, Stanley; Jakus, Karl
Hoffman, Mark; and Williams, Wendell S.
Simple model for the deformation behavior of tantalum carbide. (8) 612
Hogg, C. L.; Stringer, R. K.; and Swain, Michael V.
Grain-boundary cavitation and bloating of isostatically hot-pressed magnesia-partially-stabilized zirconia on air annealing. (3) 248
Hollabaugh, Curtis L.; and Carr, William H.
Phase relations in the pseudobinary system $Na_2TiSi_4O_{11}$-$Na_2Ti_2Si_2O_9$. (2) C27
Hori, Saburo; Yoshimura, Masahiro; and Somiya, Shigeyuki
Strength-toughness relations in sintered and isostatically hot-pressed ZrO_2-toughened Al_2O_3. (3) 169
Hosmer, Kevin See Scott, Curtis E.
Howitt, David G. See McElfresh, David K.
Hsueh, Chun-Hway
Mathematical model of viscosity measurements of viscoelastic solids. (3) C48; See also Evans, Anthony G.; Rahaman, Mohammed N.
Hsueh, Chun-Hway; Evans, Anthony G.; and McMeeking, Robert M.
Influence of multiple heterogeneities on sintering rates. (4) C64
Hu, Yung H.; Chan, Helen M.; and Wen, Zhang Xiao
Scanning electron microscopy and transmission electron microscopy study of ferroelectric domains in doped $BaTiO_3$. (8) 594
Huang, T.-H. See Van Roode, M.
Huang, Zhen-Kun; Tien, Tseng-Ying; and Yen, Tung-Sheng
Subsolidus phase relationships in Si_3N_4–AlN–rare-earth oxide systems. (10) C241
Hughan, Robert R.; and Hannink, Richard H. J.
Precipitation during controlled cooling of magnesia-partially-stabilized zirconia. (7) 556
Huttepain, Muriel See Boch, Philippe
Igarashi, Kaoru See Tagawa, Hiroaki
Ikawa, Hiroyuki; Otagiri, Tadashi; and Imai, Osamu
Crystal structures and mechanism of thermal expansion of high cordierite and its solid solutions. (6) 492
Ikeuchi, Jun See Odawara, Osamu
Iliev, Y. See Bogdanov, B. I.
Imada, Yukio See Watanabe, Akira
Imai, Masamitsu See Lin, Bor-wen
Imai, Osamu See Ikawa, Hiroyuki
Imamura, Yoko See Kagawa, Masahiro
Ingel, Robert P.; and Lewis, David, III
Lattice parameters and density for Y_2O_3-stabilized ZrO_2. (4) 325
Ionchev, H. See Kojouharoff, V.
Ishizawa, Nobuo See Yagi, Takeshi
Ishizawa, Nobuo; Saiki, Atsushi; and Yagi, Takeshi
Microstructures resulting from the diffusionless cubic→tetragonal transformation in ZrO_2-Y_2O_3 alloys—reply. (10) C262; Twin-related tetragonal variants in yttria partially stabilized zirconia. (2) C18
Iyengar, G. N. K. See Jacob, K. T.
Jaakola, T.; Uusimaki, A.; and Rautioaho, R.
Matrix phase in ceramics with composition near $BaO{\cdot}Nd_2O_3{\cdot}5TiO_2$. (10) C234
Jacob, K. T.; Iyengar, G. N. K.; and Kim, W. K.
Spinel-corundum phase equilibria in the systems Mn-Cr-Al-O and Co-Cr-Al-O at 1373 K. (6) 487
Jacobson, Nathan S.
Kinetics and mechanism of corrosion of SiC by molten salts. (1) 74; —Correction. (4) 364; See also Smialek, James L.
Jaeger, Herbert; Gardner, John A.; and Haygarth, John C.
Structural characterization of high-temperature zirconia ceramics by perturbed angular correlation spectroscopy. (6) 458
Jakus, Karl; Wiederhorn, Sheldon M.; and Hockey, Bernard J.
Nucleation and growth of cracks in vitreous-bonded aluminum oxide at elevated temperatures. (10) 725
James, Michael R. See Marshall, David B.
Jansson, Bo See Hillert, Mats

Jennings, Hamlin M.
Aqueous solubility relationships for two types of calcium silicate hydrate. (8) 614
Jennings, Hamlin M.; and Johnson, Steven K.
Simulation of microstructure development during the hydration of a cement compound. (11) 790
Jin, Zheng-Guo See Yuan, Qi-Ming
Johnson, Steven K. See Jennings, Hamlin M.
Jou, Zuei Chown; Kuo, Shih-Yee; and Virkar, Anil V.
Elevated-temperature creep of silicon carbide-aluminum nitride ceramics: Role of grain size. (11) C279
Kagawa, Masahiro; Syono, Yasuhiko; and Imamura, Yoko
Surface characterization of ultrafine ZrO_2-SiO_2 powders by electrophoretic mobility measurements. (3) C50
Kakegawa, Kazuyuki; Wakabayashi, Tsuyoshi; and Sasaki, Yoshinori
Preparation of $Ba(Mg_{1/3}Ta_{2/3})O_3$ by using oxine. (4) C82
Kato, Etsuro See Murase, Yoshio
Kato, Zenji See Morishima, Hiroyuki
Keer, Leon M.; Farris, Thomas N.; and Lee, Jung-Chuan
Knoop and Vickers indentation in ceramics analyzed as a three-dimensional fracture. (5) 392
Kellett, B. J.; and Lange, F. F.
Hot-forging characteristics of fine-grained ZrO_2 and Al_2O_3/ZrO_2 ceramics. (8) C172
Kelly, P. M.; and Ball, C. J.
Crystallography of stress-induced martensitic transformations in partially stabilized zirconia. (3) 259
Kelm, John R. See Hastings, Ian J.
Kennedy, Gordon J. See Komarneni, Sridhar
Kibbel, Bradley W.; and Heuer, Arthur H.
Exaggerated grain growth in ZrO_2-toughened Al_2O_3. (3) 231
Kihara, Seiji See Watanabe, Akira
Kim, W. K. See Jacob, K. T.
Kimura, Toshio See Hayashi, Yoshihiro
Kinser, Donald L. See Magruder, Robert H., III
Kirchner, Henry P.
Brittleness dependence of crack branching in ceramics. (4) 339; See also Conway, Joseph C.
Kirkpatrick, R. James See Yang, Wang-Hong
Knight, Charles E. See Welsh, Theresa M.
Kobayashi, Masahiro See Takemura, Taketoshi
Kofstad, Per See Norby, Truls
Kohlstedt, David L. See Ricoult, D. L.
Koizumi, See Suganuma, Katsuaki
Koizumi, Mitsue See Hirao, Kiyoshi
Kojouharoff, V.; and Ionchev, H.
Experimental-statistical method for investigation of multicomponent yttrium garnet systems. (10) 767
Komarneni, Sridhar; Fyfe, Colin A.; and Kennedy, Gordon J.
Characterization of synthetic and naturally occurring clays by ^{27}Al and ^{29}Si magic-angle spinning NMR spectroscopy. (3) C45
Komarneni, Sridhar; and Roy, Rustum
Diphasic xerogels, a new class of materials: Phases in the system Al_2O_3-SiO_2—reply. (8) C204
Komarneni, Sridhar; Roy, Rustum; and Fyfe, Colin A.
Solid-state ^{27}Al and ^{29}Si magic-angle spinning NMR of aluminosilicate gels. (3) C42
Komarneni, Sridhar; Suwa, Yoshiko; and Roy, Rustum
Application of compositionally diphasic xerogels for enhanced densification: The system Al_2O_3-SiO_2. (7) C155
Komatsu, Toshikatsu See Yamaguchi, Osamu
Kondo, Wakichi See Fujii, Kinjiro
Koripella, Chowdari R.; and Kroger, Ferdinand A.
Electrical conductivity of Al_2O_3:Fe + Y. (12) 888
Kotani, Kazuo See Makishima, Akio
Koutsoutis, Micahel S. See Morgan, Peter E. D.
Kralj, D.; Matkovic, Boris; and Trojko, R.
Preparation of dicalcium silicate at 950°C. (8) C170
Kraus-Lanteri, S. P.; Mitchell, T. E.; and Heuer, Arthur H.
Structure of incoherent ZrO_2/Al_2O_3 interfaces. (3) 256
Kreidler, Eric R.
Cathodoluminescence: A microstructural technique for exploring phase distributions and deformation structures in zirconia ceramics—comment. (3) C57
Kroger, Ferdinand A. See Koripella, Chodari R.
Kschinka, B. A.; Perrella, S.; and Nguyen, H.
Strengths of glass spheres in compression. (6) 467
Ku, Roland C. See McCune, Robert C.
Kubo, Hajime See Makishima, Akio
Kudara, Hideki See Yamaguchi, Osamu
Kumar, A.; and Roy, Della M.
Retardation of Cs^+ and Cl^- diffusion using blended cement admixtures. (4) 356
Kumar, Binod; and Russ, Karl J.
Reaction and coloration of glasses with hydrogen. (12) C299
Kundu, P. See Chakravorty, A. K.
Kunisaki, Toshiya See Eguchi, Koichi
Kuo, Shih-Yee See Jou, Zuei Chown
Kuppinger, Christopher M.; and Shelby, James E.
Viscosity and thermal expansion of mixed-alkali borate glasses. (12) C292
Kurkjian, Charles R. See Chaudhri, M. M.; Matthewson, M. John
Kuwabara, Makoto; and Nagata, H.
New phenomenon in barium-lead titanate ceramics with positive temperature coefficients of resistivity. (8) C176
Lagerlof, K. P. D. See Dominguez-Rodriguez, A.
Lambropoulos, J. C.
Effect of nucleation on transformation toughening. (3) 218
Lange, F. F.
Transformation-toughened ZrO_2: Correlations between grain size control and composition in the system ZrO_2-Y_2O_3. (3) 240; See also Heuer, Arthur H.; Kellett, B. J.
Lange, F. F.; Davis, Burton I.; and Wright, E.
Processing-related fracture origins: IV, Elimination of voids produced by organic inclusions. (1) 66
Lange, F. F.; Dunlop, G. L.; and Davis, Burton I.
Degradation during aging of transformation-toughened ZrO_2-Y_2O_3 materials at 250°C. (3) 237
Lanteri, Vincenzo See Dominguez-Rodriguez, A.
Lanteri, Vincenzo; Chaim, R.; and Heuer, A. H.
On the microstructures resulting from the diffusionless cubic→tetragonal transformation in ZrO_2-Y_2O_3 alloys. (10) C258
Lanteri, Vincenzo; Mitchell, T. E.; and Heuer, Arthur H.
Morphology of tetragonal precipitates in partially stabilized ZrO_2. (7) 564
Lapp, Josef C.; and Shelby, James E.
Effect of small concentrations of gallium oxide on the structure of sodium silicate glasses. (7) C146; Silver-sodium exchange in sodium galliosilicate glasses. (5) C110; Viscosity and thermal expansion of sodium and potassium galliosilicate glasses. (2) 126
Le Sueur, P. J. See Groves, G. W.
Lee, J. K. See Faber, Katherine T.
Lee, Jung-Chuan See Keer, Leon M.
Lee, W. E. See McCoy, M.
Lefebvre, D.; Thery, J.; and Vivien, D.
Solid solutions in the system $LaMgAl_{11}O_{19}$-$LaMgGa_{11}O_{19}$-$LaMgFe_{11}O_{19}$—comment. (11) C289
Lewandowski, Joseph T.; Beyerlein, Robert A.; and Longo, John M.
Nonstoichiometric K_2NiF_4-type phases in the lanthanum-cobalt-oxygen system. (9) 699
Lewis, David, III See Ingel, Robert P.
Li, Z.; and Bradt, Richard C.
Thermal expansion of the hexagonal (6H) polytype of silicon carbide. (12) 863
Lin, Bor-Wen; Imai, Masamitsu; and Yano, Toyohiko
Hot-pressing of β-SiC powder with Al-B-C additives. (4) C67
Lindemer, Terrence B.; and Brynestad, Jorulf
Review and chemical thermodynamic representation of $<U_{1-x}Ce_xO_{2\pm x}>$ and $<U_{1-x}Ln_xO_{2\pm x}>$; Ln = Y, La, Nd, Gd. (12) 867
Lockwood, P. E. See Morena, Robert
Loh, R. L.; Rossington, C.; and Evans, Anthony G.
Laser technique for evaluating spall resistance of brittle coatings. (2) 139
Lokken, Ryan O. See Chick, Lawrence A.
Longo, John M. See Lewandowski, Joseph T.
Lu, Grant; and Bradley, John P.
Microstructure and evolution of barium fluorozirconate crystal in a ZrF_4-BaF_2-LaF_3-AlF_3-NaF glass. (8) 585
Luo, S.-Q. See Seaverson, L. M.
Luthra, Krishan L.
Thermochemical analysis of the stability of continuous "SiC" fibers. (10) C231
Ma, Li-tai See Wen, Shu-lin
Mackert, J. R., Jr.; Butts, Michael B.; and Morena, Robert
Phase changes in a leucite-containing dental porcelain frit. (4) C69
Mackinnon, Ian D. R. See Davies, Peter K.
Mackrodt, William C.; and Woodrow, P. M.
Theoretical estimates of point defect energies in cubic zirconia. (3) 277
Magruder, Robert H., III; Kinser, Donald L.; and Weeks, Robert A.
Dependence of sodium ion mobility upon melt atmosphere in GeO_2 glasses. (1) C10
Majumdar, Saurin; Claar, Terry; and Flandermeyer, Brian
Stress and fracture behavior of monolithic fuel cell tapes. (8) 628
Makishima, Akio; Kubo, Hajime; and Kotani, Kazuo
Formation and crystallization in the yttrium aluminosilicate glasses containing zinc oxide. (12) C294
Makishima, Akio; Kubo, Hajime; and Shimohira, Takajiro
Formation and crystallization of yttrium aluminosilicate glasses containing calcium oxide. (6) C130
Makishima, Akio; Kubo, Hajime; and Wada, Kenji
Yellow coatings produced on glasses and aluminum by the sol-gel process. (6) C127
Makishima, Akio; and Tani, Toshiro
Preparation of amorphous silicas doped with organic molecules by the sol-gel process. (4) C72
Maloney, B. R. See Green, David J.
Marra, Robert A.; Nakamura, Yoshinobu; and Fujitsu, Satoru
Humidity-sensitive electrical conduction of ZnO-$Ni_{1-x}Li_xO$ heterocontacts. (7) C143
Marshall, David B.
Strength characteristics of transformation-toughened zirconia. (3) 173; See also Hannink, Richard H. J.
Marshall, David B.; and James, Michael R.
Reversible stress-induced martensitic transformation in ZrO_2. (3) 215
Masaki, Takaki
Mechanical properties of Y_2O_3-stabilized tetragonal ZrO_2 polycrystals after aging at high temperature. (7) 519; Mechanical properties of toughened ZrO_2-Y_2O_3 ceramics. (8) 638
Matkovic, Boris See Kralj, D.
Matkovic, Boris; Popovic, S.; and Grzeta, B.
Phases in the system Ba_2SiO_4-Ca_2SiO_4. (2) 132
Matsui, Minoru; Soma, Takao; and Oda, Isao
Stress-induced transformation and plastic deformation for Y_2O_3-containing tetragonal zirconia polycrystals. (3) 198
Matsumoto, Roger L. K.
Generation of powder compaction response diagrams. (10) C246; See also Virkar, Anil V.
Matthewson, M. John; Kurkjian, Charles R.; and Gulati, Suresh T.
Strength measurement of optical fibers by bending. (11) 815
Matzke, Hansjoachim; Toscano, Enrique; and Routbort, Jules L.
Temperature dependence and fracture toughness and elastic moduli of a waste glass. (7) C138
Mazerolles, L.; Michel, Daniel; and Portier, R.
Interfaces in oriented Al_2O_3-ZrO_2 (Y_2O_3) eutectics. (3) 252
Mazumdar, S.; and Mukherjee, B.
Structural characterization of the spinel phase in the kaolin-mullite reaction series through lattice energy—reply. (8) C201
Mazurin, Oleg V. See Borovinskii, Sergei V.
McArdle, James L.; and Messing, Gary L. Seeding with γ-alumina for transformation and microstructure control in boehmite-derived α-alumina. (5) 98; —Correction C134
McCoy, M.; Lee, W. E.; and Heuer, Arthur H.
Crystallization of MgO-Al_2O_3-SiO_2-ZrO_2 glasses. (3) 292
McCune, Robert C.; Donlon, William T.; and Ku, Roland C.
Yttrium segregation and YAG precipitation at surfaces of yttrium-doped α-Al_2O_3. (8) C196
McDowell, Penny See Spear, Karl E.
McElfresh, David K.; and Howitt, David G.
Activation enthalpy for diffusion in glass. (10) C237
McHale, Anna E.; and Roth, Robert S.
Low-temperature phase relationships in the system ZrO_2-TiO_2. (11) 827
McKinney, Karl R.; Rice, Roy W.; and Wu, Carl C.
Mechanical failure characteristics of ceramic multilayer capacitors. (10) C228
McMahon, Francis See Spear, Karl E.
McMeeking, Robert M.
Effective transformation strain in binary elastic composites. (12) C301; See also Hsueh, Chun-Hway
McPherson, R.
Preparation of mullite-zirconia composites from glass powder. (3) 297
Mehrotra, Yagesh See Agrawal, Dinesh K.
Messing, Gary L. See McArdle, James L.
Michalske, Terry A.; Bunker, Bruce C.; and Freiman, S. W.
Stress corrosion of ionic and mixed ionic/covalent solids. (10) 721
Michel, Daniel See Mazerolles, L.
Miles, Jamie A. See Morgan, Peter E. D.
Millet, J. M.; Parker, Harry S.; and Roth, Robert S.
Syntheses and unit-cell determination of $Ba_3V_2O_{13}$ and low- and high-temperature $Ba_3P_2O_{13}$. (5) C103
Millet, J. M.; Roth, Robert S.; and Parker, Harry S.
Phase relations between the polytitanates of barium and the barium borates, vanadates, and molybdates. (11) 811
Mitchell, T. E. See Kraus-Lanteri, S. P.; Lanteri, Vincenzo
Miyamoto, Yoshinari See Hirao, Kiyoshi
Mocellin, Alain See Carry, Claude
Mochel, M. E. See Gerhardt, R.
More, K. L.; Carter, Calvin H., Jr.; and Bentley, J.
Occurrence and distribution of boron-containing phases in sintered α-silicon carbide. (9) 695
Morena, Robert See Mackert, J. R., Jr.
Morena, Robert; Lockwood, P. E.; and Evans, A. L.
Toughening of dental porcelain by tetragonal ZrO_2 additions. (4) C75
Morgan, Peter E. D. See Pugar, Eloise A.
Morgan, Peter E. D.; and Koutsoutis, Micahel S.
Electrical conductivity measurements to detect suspected liquid phase in the Al_2O_3-1 mol% TiO_2-0.5 mol% $NaO_{1/2}$ and other systems. (10) C254
Morgan, Peter E. D.; and Miles, Jamie A.
Magnetoplumbite-type compounds: Further discussion. (7) C157
Morishima, Hiroyuki; Kato, Zenji; and Uematsu, Keizo
Development of aluminum titanate-mullite composite having high thermal shock resistance. (10) C226
Moya, Jose S. See Rincon, Jesus M.
Muddle, B. C.; and Hannink, Richard H. J.
Crystallography of the tetragonal-to-monoclinic transformation in MgO-partially-stabilized zirconia. (7) 547
Mukherjee, B. See Mazumdar, S.
Mukherjee, Shyama P.; and Sharma, Shiv K.
Structural studied of gels and gel-glasses in the SiO_2-GeO_2 system using vibrational specroscopy. (11) 806
Murase, Yoshio; Kato, Etsuro; and Daimon, Keiji
Stability of ZrO_2 phases in ultrafine ZrO_2-Al_2O_3 mixtures. (2) 83
Murtagh, Martin, J.; Graham, Earl K.; and Pantano, Carlo G.
Elastic moduli of silica gels prepared with tetraethoxysilane. (11) 775
Nagata, H. See Kuwabara, Makoto
Nakagawa, Hiroshi See Yamashita, Kimihiro
Nakamura, Yoshinobu See Marra, Robert A.
Nakatani, Fumio See Watanabe, Akira
Narai, Akira See Yamaguchi, Osamu

Navrotsky, Alexandra See Bularzik, J.
Navrotsky, Alexandra; Weckler, Barry A.; and Geisinger, Karen
Thermochemistry of $MgAl_2O_4$-$Al_{4/3}O_4$ defect spinels. (5) 418
Negita, Keishi
Effective sintering aids for silicon carbide ceramics: Reactivities of silicon carbide with various additives. (12) C308
Nguyen, H. See Kschinka, B. A.
Nicholson, Patrick S. See Troczynski, Thomas B.
Noda, Shoji; Doi, Haruo; and Hioki, Tatsumi
Strengthening of alumina by reactions with silicon film on the surface and effects of ion irradiation. (9) C210
Nogami, Masayuki; and Tomozawa, Minoru
ZrO_2-transformation-toughened glass-ceramics prepared by the sol-gel process from metal alkoxides. (2) 99
Norby, Truls; and Kofstad, Per
Direct-current conductivity of Y_2O_3 as a function of water vapor pressure. (11) 780; Electrical conductivity of Y_2O_3 as a function of oxygen partial pressure in wet and dry atmospheres. (11) 784
Nowick, A. S. See Gerhardt, R.
Oda, Isao See Matsui, Minoru
Odawara, Osamu; and Ikeuchi, Jun
Ceramic composite pipes produced by a centrifugal-exothermic process. (4) C80; Vacuum centrifugal-thermite process for producing ceramic-lined pipes. (4) C85
Oel, Heribert J.; and Frechette, Van Derck
Stress distribution in multiphase systems: II, Composite disks with cylindrical interfaces. (4) 342
Ogiso, Nobuyuki See Yamaguchi, Osamu
Oguma, Masaomi; Fairbanks, Carolyn J.; and Hasselman, D. P. H.
Thermal stress fracture of brittle ceramics by conductive heat transfer in a liquid metal quenching medium. (4) C87
Oh, Paul S. See Biswas, Dipak R.
Ohira, H.; and Bradt, Richard C.
Effects of postsintering hot isostatic pressing on the strength of an aluminosilicate ceramic. (7) C140
Oishi, Yasumichi See Sakka, Yoshio
Okada, Kiyoshi; and Otsuka, Nozomu
Characterization of the spinel phase from SiO_2-Al_2O_3 xerogels and the formation process of mullite. (9) 652
Okada, Kiyoshi; Otsuka, Nozomu; and Ossaka, Joyo
Characterization of spinel phase formed in the kaolin-mullite thermal sequence. (10) C251
Okamoto, Taira See Suganuma, Katsuaki
Okamura, Hiromichi; Barringer, Eric A.; and Bowen, H. Kent
Preparation and sintering of monosized Al_2O_3-TiO_2 composite powder. (2) C22
Okazaki, Kiyoshi See Goo, E.
Olapinski, Hans See Dworak, Ulf
Oliphant, David L.; and Evans, Brian
Effect of second-phase particles on grain growth in calcite. (11) C272
Onoda, George Y.; and Toner, John
Fractal dimensions of model particle packings having multiple generations of agglomerates. (11) C278
Ossaka, Joyo See Okada, Kiyoshi
Otagiri, Tadashi See Ikawa, Hiroyuki
Otsuka, Nozomu See Okada, Kiyoshi
Owada, Hitoshi See Yamashita, Kimihiro
Page, Trevor F.; and Czernuszka, J. T.
Cathodoluminescence: A microstructural technique for exploring phase distributions and deformation structures in zirconia ceramics—reply. (3) C58
Palanisamy, Ponnusamy; Sarma, Dwadasi H. R.; and Vest, Robert W.
Liquid-phase sintering in thick-film resistor processing—reply. (2) C40
Panda, Prakash C.; and Raj, Rishi
Kinetics of precipitation of α-Al_2O_3 in polycrystalline supersaturated MgO-$2Al_2O_3$ spinel solid solution. (5) 365
Pantano, Carlo G. See Brow, Richard K.; Murtagh, Martin, J.
Papadopoulos, Kim
Glass formation and properties in the system calcia-galliagermania—comment. (6) C134
Parker, Harry S. See Millet, J. M.; Roth, Robert S.
Parlee, Norman A. D. See Slivinsky, Sandra H.
Pask, Joseph A. See Tomsia, Antoni P.
Pejryd, Lars
Activity-composition relationships of the solid solution $(Ti,Mo)O_2$ in the temperature range 1350 to 1600 K. (9) 717
Perera, Gunarathna See Ravaine, Denis
Perez-Mendez, Mercedes; Groves, G. W.; and Fayos, Jose
Effect of fluorine and magnesium on the polymorphism of tricalcium silicate: A new fluorine-containing tricalcium silicate superlattice. (9) 670
Perrella, S. See Kschinka, B. A.
Pethica, B. A. See Shaw, T. M.
Piermarini, Gasper J. See Block, Stanley
Popovic, S. See Matkovic, Boris
Porter, John R. See Chokshi, Atul H.; Hannink, Richard H. J.
Portier, R. See Mazerolles, L.
Price, James J.; and Varner, James R.
Elastic-plastic contact damage in a lead lanthanum zirconate titanate. (9) 657
Przybyla, Kazimierz; Garratt-Reed, A. J.; and Yurek, Gregory J.
Observation of coherent perovskite particles in growing chromia films. (11) C264
Pugar, Eloise A.; and Morgan, Peter E. D.
Coupled grain growth effects in Al_2O_3/10 vol% ZrO_2. (6) C120
Quadir, Tariq; and Readey, Dennis W.
Grain growth in dense cadmium oxide. (7) C152
Rahaman, Mohammed N.; De Jonghe, Lutgard C.; and Hsueh, Chun-Hway
Creep during sintering of porous compacts. (1) 58
Raj, Rishi
Unstable spreading of a fluid inclusion in a grain boundary under normal stress. (9) 708; See also Bordia, Rajendra K.; Panda, Prakash C.; Venkatachari, K. R.
Rajaram, Mohan; and Day, Delbert E.
Cation effects in $NaPO_3$ glasses doped with metal nitrides and oxides. (5) 400
Ramos, J. I.
Behavior of multicomponent gas bubbles in glassmelts. (2) 149
Rautioaho, R. See Jaakola, T.
Ravaine, Denis; and Perera, Gunarathna
Corrosion studies of various heavy-metal fluoride glasses in liquid water: Application to fluoride-ion-selective electrode. (12) 852
Ray, Chandra S. See Angel, Paul W.
Readey, Dennis W. See Quadir, Tariq; Readey, Michael J.
Readey, Michael J.; and Readey, Dennis W.
Sintering of ZrO_2 in HCl atmospheres. (7) 580
Reed, James S. See Clark, Terence J.
Rekhson, Michael S.; and Rekhson, Simon M.
Shear, uniaxial, and biaxial stress relaxation functions. (9) 704
Rekhson, Simon M. See Rekhson, Michael S.
Reyes Morel, P. E. See Chen, I-Wei
Rice, Gary W.
Laser synthesis of Si/C/N powders from 1,1,1,3,3,3-hexamethyldisilazane. (8) C183
Rice, Roy W. See McKinney, Karl R.
Richey, W. C. See Goldman, Don S.
Ricoult, D. L.; and Kohlstedt, David L.
Creep behavior of single crystals of vanadium-doped forsterite. (10) 770
Rincon, Jesus M.; Thomas, Gareth; and Moya, Jose S.
Microstructural study of sintered mullite obtained from premullite. (2) C29
Ritter, Joseph J. See Roth, Robert S.
Ritter, Joseph J.; Roth, Robert S.; and Blendell, John E.
Alkoxide precursor synthesis and characterization of phases in the barium-titanium oxide system. (2) 155
Roach, David H.
Comparison of the liquid-nitrogen strength and the high-stressing-rate strength of soda-lime glass. (8) C168
Roach, David H.; and Cooper, Alfred R.
Weakening of soda-lime glass by particle impact during hydrofluoric acid etching. (7) C153
Rolf, Richard L. See Brockenbrough, John R.
Rose, David H. See Hastings, Ian J.
Rose, L. R. F.
Effective fracture toughness of microcracked materials. (3) 212; Kinematical model for stress-induced transformation around cracks. (3) 208; See also Swain, Michael V.
Rose, L. R. F.; and Swain, Michael V.
Two *R* curves for partially stabilized zirconia. (3) 203
Rosenfield, Alan R. See Shetty, Dinesh K.
Rosenfield, Alan R.; Shetty, Dinesh K.; and Duckworth, Winston H.
Estimating tensile creep data from flexure data. (5) C108
Rossington, C. See Loh, R. L.
Roth, Robert S. See McHale, Anna E.; Millet, J. M.; Ritter, J. J.
Roth, Robert S.; Ritter, Joseph J.; and Parker, Harry S.
Synthesis, stability, and crystal chemistry of dibarium pentatitanate. (12) 858
Routbort, Jules L. See Matzke, Hansjoachim
Routbort, Jules L.; Castaing, Jacques; and Goretta, Kenneth C.
Creep of $Mn_{1-\delta}O$. (6) C114
Rowcliffe, David J. See Schwartz, K. B.
Roy, Della M. See Kumar, A.
Roy, Rustum See Komarneni, Sridhar
Ruhle, Manfred See Bonnell, D. A.; Claussen, Nils
Ruhle, Manfred; Claussen, Nils; and Heuer, Arthur H.
Transformation and microcrack toughening as complementary processes in ZrO_2-toughened Al_2O_3. (3) 195
Russ, Karl J. See Kumar, Binod
Sahl, Kurt See Haberey, Florian
Saiki, Atsushi See Ishizawa, Nobuo; Yagi, Takeshi
Sakka, Yoshio; Oishi, Yasumichi; and Ando, Ken
Enhancement of MgO evaporation from MgO-stabilized ZrO_2 by grain-boundary diffusion. (2) 111
Saris, C. M. P. M. See Verweij, Hendrik
Sarma, Dwadasi H. R. See Palanisamy, Ponnusamy
Sasaki, Yoshinori See Kakegawa, Kazuyuki
Sass, Stephen L. See Eastman, Jeffrey A.
Sawaoka, Akira See Akashi, Tamotsu
Sbaizero, O.; and Evans, Anthony G.
Tensile and shear properties of laminated ceramic matrix composites. (6) 481
Scherer, George W.
Dilatation of porous glass. (6) 473; Viscous sintering under a uniaxial load. (9) C206; Volume relaxation far from equilibrium. (5) 374; See also Brinker, C. Jeffrey
Schmauder, S.; and Schubert, Helmut
Significance of internal stresses for the martensitic transformation in yttria-stabilized tetragonal zirconia polycrystals during degradation. (7) 534
Schubert, Helmut
Anisotropic thermal expansion coefficients of Y_2O_3-stabilized tetragonal zirconia. (3) 270; See also Schmauder, S.; Weller, M.
Schwartz, K. B.; and Rowcliffe, David J.
Modeling density contributions in preceramic polymer/ceramic powder systems. (5) C106
Scott, Curtis E.; and Brewer, James A.
Bend strengths for diffusion-bonded Al_2O_3. (8) C178
Scott, Curtis E.; Hill, Susan; and Hosmer, Kevin
Alumina microstructural sample preparation using a borate glaze. (3) C54
Searcy, Alan W.
Origins of planar, concave, and convex boundaries during exaggerated grain growth. (5) C91
Seaverson, L. M.; Luo, S.-Q.; and Chien, P.-L
Carbonate associated with hydroxide sol-gel processing of yttria: An infrared spectroscopic study. (5) 423
Shaikh, Aziz S.; and Vest, Geraldine M.
Kinetics of $BaTiO_3$ and $PbTiO_3$ formation from organometallic precursors. (9) 682
Shaikh, Aziz S.; and Vest, Robert W.
Defect structure and dielectric properties of Nd_2O_3-modified $BaTiO_3$. (9) 689
Sharma, Shiv K. See Mukherjee, Shyama P.
Shaw, N. J.; and Brook, Richard J.
Structure and grain coarsening during the sintering of alumina. (2) 107
Shaw, T. M.; and Pethica, B. A.
Preparation and sintering of homogeneous silicon nitride green compacts. (2) 88
Shelby, James E. See Kuppinger, Christopher M.; Lapp, Josef C.
Shen, Ji-Yao See Yuan, Qi-Ming
Shetty, Dinesh K. See Rosenfield, Alan R.
Shetty, Dinesh K.; Rosenfield, Alan R.; and Duckworth, Winston H.
Mixed-mode fracture of ceramics in diametral compression. (6) 437
Shimizu, Kiyoshi See Yamaguchi, Osamu
Shimohira, Takajiro See Makishima, Akio
Simmons, Catherine J.; and Simmons, Joseph H.
Chemcial durability of fluoride glasses: I, Reaction of fluorozirconate glasses with water. (9) 661
Simmons, Joseph H. See Simmons, Catherine J.
Sinclair, W. See Groves, G. W.
Slivinsky, Sandra H.; and Parlee, Norman A. D.
Nitrogen-nitride equilibria in molten uranium-thorium-tin alloys. (11) 833
Smialek, James L.; and Jacobson, Nathan S.
Mechanism of strength degradation for hot corrosion of α-SiC. (10) 741
Smyth, Donald M. See Chan, Helen M.
Soma, Takao See Matsui, Minoru
Somiya, Shigeyuki See Hattori, Takeo; Hori, Saburo; Yamada, Toyoaki; Yoshimura, Masahiro
Sorrell, Charles C.; and Groetsch, John G., Jr
Subsolidus compatibility in the system NaCl-KCl-$AlCl_3$-NaF-KF-AlF$_3$. (4) 333
Sorrell, Charles C.; Stubican, Vladimir S.; and Bradt, Richard C.
Mechanical properties of ZrC-ZrB_2 and ZrC-TiB_2 directionally solidified eutectics. (4) 317
Spear, Karl E.; McDowell, Penny; and McMahon, Francis
Experimental evidence for the existence of the Ti_3B_4 phase. (1) C4
Stebbins, Jonathan F. See Stein, Daniel J.
Stein, Daniel J.; Stebbins, Jonathan F.; and Carmichael, Ian S. E.
Density of molten sodium aluminosilicates. (5) 396
Strachan, Denis M. See Chick, Lawrence A.
Stringer, R. K. See Hogg, C. L.
Stubican, Vladimir S. See Agrawal, Dinesh K.; Sorrell, Charles C.
Suganuma, Katsuaki; Okamoto, Taira; and Koizumi, Mitsue
Relationship between the strength of ceramic/metal joints in tensile and three-point bending. (10) C235
Suitch, Paul R.
Mechanism for the dehydroxylation of kaolinite, dickite, and nacrite from room temperature to 455°C. (1) 61
Susnitzky, David W.; and Carter, C. B.
Identification of α-alumina surface structures by electron diffraction. (9) C217
Susnitzky, David W.; and Carter, Clive B.
Topotactic growth of β-alumina on α-alumina. (2) C25
Suwa, Yoshiko See Komarneni, Sridhar
Swain, Michael V. See Burns, S. J.; Heuer, Arthur H.; Hogg, C. L.; Rose, L. R. F.
Swain, Michael V.; and Rose, L. R. F.
Strength limitations of transformation-toughened zirconia alloys. (7) 511
Syono, Yasuhiko See Kagawa, Masahiro
Tagawa, Hiroski; and Igarashi, Kaoru
Reaction of strontium carbonate with anatase and rutile. (4) 310
Takada, Yoshio See Takemura, Taketoshi
Takahashi, Hirokuni See Watanabe, Akira

Takemura, Taketoshi; Kobayashi, Masahiro; and Takada, Yoshio
Effects of bismuth sesquioxide on the characteristics of ZnO varistors. (5) 430
Tan, Jia-Qi See Yuan, Qi-Ming
Tani, Toshiro See Makishima, Akio
Taylor, Harry F. W.
Proposed structure for calcium silicate hydrate gel. (6) 464
Thery, J. See Lefebvre, D.
Thomas, Gareth See Rincon, Jesus M.
Tien, T.-Y. See Bonnell, D. A.
Tien, Tseng-Ying See Huang, Zhen-Kun
Tiller, Frank M.; and Tsai, Chun-dar
Theory of filtration of ceramics: I, slip casting. (12) 882
Tomihisa, Daijo See Yamaguchi, Osamu
Tomozawa, Minoru See Nogami, Masayuki
Tomozawa, Minoru; Hirao, Kazuyuki; and Bean, Paul E.
Origin of strength increase of abraded or indented glass upon annealing. (8) C186
Tomsia, Antoni P.; and Pask, Joseph A.
Bonding of dental glass to nickel-chromium alloys. (10) C239
Toner, John See Onoda, George Y.
Toscano, Enrique See Matzke, Hansjoachim
Tressler, Richard E. See Costello, John A.
Troczynski, Thomas B.; and Nicholson, Patrick S.
Sensitivity of the potential drop technique for crack length measurement in a chevron-notched specimen. (7) C136
Trojko, R. See Kralj, D.
Tsai, Chun-dar See Tiller, Frank M.
Turner, Gary See Yang, Wang-Hong
Uematsu, Keizo See Morishima, Hiroyuki
Ueno, Hisahiro See Fujii, Kinjiro
Ullner, Christian; and Gehrke, Eckhard
Effect of step size in incremental loading tests. (11) C267
Ungan, A.; and Viskanta, Raymond
Effect of air bubbling on circulation and heat transfer in a glassmelting tank. (5) 382
Uusimaki, A. See Jaakola, T.
Van Roode, M.; Huang, T.-H.; and Hechler, J. J.
Raman and Fourier transform infrared spectroscopy of CuO-PbO-SiO_2 glasses. (6) 449
Varner, James R. See Price, James J.
Venkatachari, K. R.; and Raj, Rishi
Shear deformation and densification of powder compacts. (6) 499; Superplastic flow in fine-grained alumina. (2) 135
Verweij, Hendrik; and Saris, C. M. P. M.
Phase formation in the system Na_2O·Al_2O_3-CaO·Al_2O_3-Al_2O_3 at 1200°C in air. (2) 94
Vest, Geraldine M. See Shaikh, Aziz S.
Vest, Robert W. See Palanisamy, Ponnusamy; Shaikh, Aziz S.
Virkar, Anil V. See Jou, Zuei Chown; Yuan, Thomas C.
Virkar, Anil V.; and Matsumoto, Roger L. K.
Ferroelastic domain switching as a toughening mechanism in tetragonal zirconia. (10) C224
Viskanta, Raymond See Ungan, A.
Vivien, D. See Lefebvre, D.
Wada, Kenji See Makishima, Akio
Wakabayashi, Tsuyoshi See Kakegawa, Kazuyuki
Wang, Zhanyi Y.; Harmer, Martin P.; and Chou, Ye T.
Pore-grain boundary configurations in lithium fluoride. (10) 735
Watanabe, Akira; Imada, Yukio; and Kihara, Seiji
Periodic accumulation of voids observed in calcium phosphate glass-ceramics. (2) C31
Watanabe, Akira; Takahashi, Hirokuni; and Nakatani, Fumio
Mechanism of dense magnesia layer formation near the surface of magnesia-carbon brick. (9) C213
Wechsler, Barry A. See Navrotsky, Alexandra
Weeks, Robert A. See Magruder, Robert H., III
Weiser, Martin W.; and De Jonghe, Lutgard C.
Rearrangement during sintering in two-dimensional arrays. (11) 822
Weisskopf, K.-L. See Claussen, Nils
Weller, M.; and Schubert, Helmut
Internal friction, dielectric loss, and ionic conductivity of tetragonal ZrO_2-3% Y_2O_3 (Y-TZP). (7) 573
Welsh, Theresa M.; Knight, Charles E.; and Hasselman, D. P. H.
Thermal stresses in circular ceramic rod specimens subjected to sudden radiative cooling. (3) C52
Wen, Shu-lin; Ma, Li-tai; and Guo, Jing-kun
Transmission electron microscopic observation of the martensitic phase transformation in tetragonal ZrO_2. (7) 570
Wen, Zhang Xiao See Hu, Yung H.
Wiederhorn, Sheldon M. See Jakus, Karl
Williams, Wendell S. See Allison, Craig; Hoffman, Mark
Witek, S. R.; and Butler, E. Paul
Zirconia particle coarsening and the effects of zirconia additions on the mechanical properties of certain commercial aluminas. (7) 523
Woodrow, P. M. See Mackrodt, William C.
Wright, E. See Lange, F. F.
Wu, Carl C. See McKinney, Karl R.
Yagi, Takeshi See Ishizawa, Nobuo
Yagi, Takeshi; Saiki, Atsushi; and Ishizawa, Nobuo
Analytical electron microscopy of yttria partitioning in the yttria-partially-stabilized zirconia crystal. (1) C3
Yamada, Toyoaki; Yoshimura, Mashairo; and Somiya, Shigeyuki
Reinvestigation of the solidification point of CaO by digital pyrometry. (10) C243
Yamaguchi, Osamu; Narai, Akira; and Komatsu, Toshikatsu
Crystallization and transformation of distorted cubic $PbTiO_3$. (10) C256
Yamaguchi, Osamu; Narai, Akira; and Kudara, Hideki
Crystallization of fluorite-type solid solution from alkoxides in the system Y_2O_3-TiO_2. (8) C166
Yamaguchi, Osamu; Narai, Akira; and Shimizu, Kiyoshi
New compound in the system SrO-Al_2O_3. (2) C36
Yamaguchi, Osamu; Ogiso, Nobuyuki; and Shimizu, Kiyoshi
New modification of Pb_3GeO_5. (2) C20
Yamaguchi, Osamu; Tomihisa, Daijo; and Ogiso, Nobuyuki
Crystallization of monoclinic $2TiO_2$·$5Nb_2O_5$. (7) C150
Yamaguchi, Takashi See Hayashi, Yoshihiro
Yamamoto, T. See Goo, E.
Yamashita, Kimihiro; Owada, Hitoshi; and Nakagawa, Hiroshi
Trivalent-cation-substituted calcium oxyhydroxyapatite. (8) 590
Yang, Wang-Hong; Kirkpatrick, R. James; and Turner, Gary
Magic-angle sample-spinning ^{31}P and ^{29}Si investigation of the structural environment of phosphorus in alkaline-earth silicate glasses. (10) C222
Yano, Toyohiko See Lin, Bor-wen
Yen, Tung-Sheng See Huang, Zhen-Kun
Yoshimura, Masahiro See Hattori, Takeo; Hori, Saburo
Yoshimura, Masahiro; Hiuga, Takehiro; and Somiya, Shigeyuki
Dissolution and reaction of yttria-stabilized zirconia single crystals in hydrothermal solutions. (7) 583
Yoshimura, Mashairo See Yamada, Toyoaki
Yuan, Qi-Ming; Tan, Jia-qi; and Jin, Zheng-Guo
Preparation and properties of zirconia-toughened mullite ceramics. (3) 265
Yuan, Qi-Ming; Tan, Jia-Qi; and Shen, Ji-Yao
Processing and microstructure of mullite-zirconia composites prepared from sol-gel powders. (3) 268
Yuan, Thomas C.; and Virkar, Anil V.
Kinetics of phase transformation in the TiO_2-SnO_2 system outside the coherent spinodal: Role of aliovalent dopants. (12) C310
Yurek, Gregory J. See Przbylski, Kazimierz

SUBJECT INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications*; numbers following are *page* numbers

Additives,
effect on specific surface, of Al_2O_3 from Al-ammonium alum (8) C179
sintering, for SiC (12) C308
Aging,
of ZrO_2-Y_2O_3, transformation-toughened, degradation during (3) 237
Alloys,
Ni-Cr, bonding of dental glass to (10) C239
U-Th-Sn, molten, N-nitride equilibria in (11) 833
ZrO_2, transformation-toughened, strength limitations (7) 511
ZrO_2-Y_2O_3, by liquid-film migration, phase equilibria in (3) 243
Aluminum,
coatings on, yellow, produced by sol-gel process (6) C127
ions, redistribution during processing of sialon (8) 623
Aluminum oxide,
-10 vol% ZrO_2, coupled grain growth effects in (6) C120
Al_2O_3:Fe + Y, electrical conductivity of (12) 888
from Al-ammonium alum, effect of additives on specific surface (8) C179
Na-K β''-, thermodynamic mixing properties (4) C62
-TiO_2, composite powder, preparation and sintering of (2) C22
Y-doped α-, Y segregation and YAG precipitation at surfaces (8) C196
-ZrO_2, hot forging characteristics (8) C172
mixtures, stability of ZrO_2 phases in (2) 83
-ZrO_2 (Y_2O_3) eutectics, oriented, interfaces in (3) 252
ZrO_2-toughened, exaggerated grain growth in (3) 231
sintered and isostatically hot-pressed, strength-toughness relations (3) 169
transformation and microcrack toughening as complement to (3) 195
α-, boehmite-derived, seeding with γ-Al_2O_3 for transformation and microstructural control (5) C98
identification of surface structures by electron diffraction (9) C217
precipitation in MgO-$2Al_2O_3$ spinel solid solution (5) 365
β-, topotactic growth on α-Al_2O_3 (2) C25
commercial, effect of ZrO_2 additions on mechanical properties (7) 523
diffusion-bonded, bend strengths of (8) C178
fine-grained, superplastic flow in (2) 135
microstructure, development, effect of MgO solute on (2) 143
polycrystalline, concurrent grain growth during creep (2) C37
powder, preparation in alcohol (8) C174
sample, microstructural, preparation with borate glaze (3) C54
single-crystal, segregation of Mg to surface (5) C101
sintered, neutron scattering from porosity (11) C285
sintering, structure and grain coarsening during (2) 107
strengthening, by reactions with Si film on surface and effects of ion irradiation (9) C210
vitreous-bonded, nucleation and crack growth at elevated temps. (10) 725
Analysis,
EXAFS, of Y_2O_3-stabilized ZrO_2 (3) 272
^{31}P and ^{29}Si NMR, of structural environment of P in alkaline-earth silicate glasses (10) C222
^{29}Si and ^{27}Al NMR, solid state, of aluminosilicate gels (3) C42
TEM, of NiO-CuO solid solutions, microstructure (11) 796
of ion-beam-thinned sections of C_3S paste (4) 353
calorimetric, of fluoride glasses, viscous flow vs phase separation during (12) C306
experimental-statistical, of multicomponent Y garnet systems (10) 767
ferrous/ferric Mossbauer, of simulated nuclear waste glass—comment (7) C160
of simulated nuclear waste glass—reply (7) C162
fracture, Knoop and Vickers indentation (5) 392
of sintering, of composite with glass or ceramic matrix (3) C55
stress, of viscoelastic-elastic composites, universal method of (2) 102
thermochemical, of stability of continuous SiC fibers (10) C231
Annealing,
air, of hot-pressed MgO-PSZ, grain boundary cavitation and bloating during (3) 248
glass, abraded or indented, origin of strength increase (8) C186
Apatite,
Ca oxyhydroxy-, trivalent-cation-substituted (8) 590
Atmosphere,
HCl, sintering ZrO_2 in (7) 580
Barium titanate,
Nd_2O_3-modified, defect structure and dielectric properties (9) 689
donor-doped, compensating defects in (6) 507
grain growth during sintering (1) C8
doped, SEM and TEM of ferroelectric domains (8) 594
fine-grained, in reducing atmosphere, superplastic creep of (9) C215
precursors, synthesis of (2) 155
sintering, reaction with LiF during (8) C193
Batch,
moisture, effect on melting behavior of glass (4) C84
Bonding,
glass, dental, to Ni-Cr alloys (10) C239
Borides,
Ti_1B_4, evidence for (1) C4
Boron,
c-BN, synthesis from BPO_4 (5) C95
c-BN, powder, compaction of (4) C78
-containing phases, in sintered α-SiC (9) 695
Brick,
MgO-C, dense MgO layer formation near surface (9) C213
Brittle materials,
coatings, spall resistance, laser technique for evaluating (2) 139
crack branching in, brittlenesss dependence of (4) 339
reliability, in thermal shock (8) 634
stress fracture, thermal, by heat transfer in liquid quenching medium (4) C87
Bubbles,
gas, behavior in glassmelts (2) 149
Cadmium,
CdO, grain growth in (7) C152
Calcite,
grain growth in, effect of second-phase particles (11) C272
Calcium,
oxyhydroxyapatite, trivalent-cation-substituted (8) 590
Calcium oxide,
solidification point, study by digital pyrometry (10) C243
Capacitors,
multilayer, mechanical failure characteristics (10) C228
Carbides,
TiC_x, measurement of C:metal ratio (1) C2
Carbonates,
$SrCO_3$, reaction with anatase and rutile (4) 310
associated with hydroxide sol-gel processing, of Y_2O_3 (5) 423
Casting,
tape, of Al_2O_3/ZrO_2 laminated composites (8) C191
Cathodes,
NiO, in molten carbonate fuel cells, solubility and transport of (2) 162
Cells,
solid oxide fuel, stress and fracture behavior (8) 628
Cements,
C_2S, preparation of (8) C170
C_3S, TEM analysis of ion-beam-thinned sections (4) 353
effect of F and Mg on polymorphism (9) 670
Ca aluminate, kinetics of hydration (4) 361
Ca silicate, hydrate gel, proposed structure for (6) 464
hydrate, aqueous solubility relationships for (8) 614
blended, retardation of Cs^+ and Cl^- diffusion with admixtures (4) 356
compound, simulation of microstructure during hydration (11) 790
Cerium,
CeO_2, doped with trivalent cations, grain-boundary effect in, microstructure and microanalysis (9) 647
doped with trivalent cations, grain-boundary effect, electrical measurements (9) 641
CeO_{2-x}, application of thermodynamic model for nonstoichiometric ionic phases to (10) 732
Chemical properties,
durability, of fluoride glasses (9) 661
Chemistry,
$2TiO_2 \cdot 5Nb_2O_5$, monoclinic, crystallization of (7) C150
crystal, of $Ba_2Ti_9O_{12}$ (12) 858
subsolidus compatibility, in system NaCl-KCl-$AlCl_3$-NaF-KF-AlF_3 (4) 333
thermo-, of $MgAl_2O_4$-$Al_{4/3}O_4$ defect spinels (5) 418
Chromium,
Cr_2O_3, films, coherent perovskite particles growing in (11) C264
Clays,
kaolinite, dickite, and nacrite, dehydroxylation mechanism (1) 61
synthetic and natural, characterization by NMR spectroscopy (3) C45
Coatings,
brittle, spall resistance, laser technique for evaluating (2) 139
composite, <Si_3N_4>-<BN> (1) 69
yellow, produced on glasses and Al by sol-gel process (6) C127
Colloids,
Ca silicate hydrate, proposed structure for (6) 464
SiO_2-Al_2O_3 xerogels, characterization of spinel phase and formation of mullite (9) 652
aluminosilicate, solid-state ^{27}Al and ^{29}Si NMR study (3) C42
diphasic xerogels, Al_2O_3-SiO_2 system—comment (8) C202
Al_2O_3-SiO_2 system—reply (8) C204
filtration, theory of (12) 882
gels, SiO_2 prepared with tetraethoxysilane, elastic moduli (11) 775
in system SiO_2-GeO_2, structure, vibrational spectroscopic study (11) 806
systems, B_2O_3-SiO_2 and ZrO_2-SiO_2, prepared by sol-gel process, dehydraton of—comment (1) C12
xerogels, diphasic, application for enhanced densification (7) C155
Coloring,
glasses, with H (12) C299
Compaction,
dynamic, of c-BN powder (4) C78
powder, generation of response diagrams (10) C246
Compacts,
CdO, porous, creep during sintering (1) 58
Si_3N_4, homogeneous, preparation and sintering (2) 88
powder, densification of (11) 822
processing-related fracture origins (1) 66
shear deformation and densification (6) 499
Composites,
Al titanate-mullite, with high thermal shock resistance (10) C226
Si_3N_4/BN, coatings, thermodynamics of CVD (1) 69
binary elastic, transformation strain in (12) C301
ceramic, frictional stress evaluation along fiber-matrix interface (9) C208
glass, or ceramic matrix, analysis of sintering of (3) C55
laminated, Al_2O_3/ZrO_2, tape casting of (8) C191
tensile and shear properties (6) 481
mullite-ZrO_2, preparation from glass powder (3) 297
prepared from sol-gel powders, processing and microstructure (3) 268
pipes, by centrifugal-exothermic process (4) C80
for solid oxide fuel cell, stress and fracture behavior (8) 628
viscoelastic-elastic, stress analysis, universal method of (2) 102
Compounds,
Pb_2GeO_4, new modification of (2) C20
magnetoplumbite-type, further discussion of (7) C157
in system SrO-Al_2O_3 (2) C36
Compression,
diametral, mixed-mode fracture of ceramics in (6) 437
strength of glass spheres in (6) 467
Conductivity,
electrical, of Al_2O_3:Fe + Y (12) 888
humidity-sensitive, of ZnO-$Ni_{1-x}Li_xO$ heterocontacts (7) C143
ionic, of ZrO_2-3% Y_2O_3 (7) 573
of solid solutions, CeO_2-CaO, effect of microstructures (11) C282
Contacts,
hetero-, ZnO-$Ni_{1-x}Li_xO$, humidity-sensitive electrical conduction of (7) C143
Cooling,
of MgO-PSZ, precipitation during (7) 556
radiative, thermal stresses in circular rod specimens subjected to (3) C52
Cordierite,
Ge-modified, with low thermal expansion (12) 847
glass and glass-ceramic, comparative diamond scratching behavior (12) C296
and its solid solutions, crystal structures and thermal expansion mechanism (6) 492
Corrosion,
of SiC, by molten salts, kinetics and mechanism of (1) 74
of glasses, heavy-metal fluoride, in water (12) 852
hot, for α-SiC, mechanism of strength degradation (10) 741
stress, of ionic and mixed ionic/covalent solids (10) 721

Cracking,
indentation, effect of surface stress on (3) 223
Cracks,
branching, brittleness dependence of (4) 339
as mechanism of crushing during grinding (8) 603
dilatant center-crack tip interaction (7) 530
elastic-plastic contact damage, in PLZT (9) 657
growth, in vitreous-bonded Al_2O_3 at elevated (10) 725
length, measurement in chevron-notched specimen, sensitivity of drop technique (7) C136
micro-, effect on fracture toughness (3) 212
toughening as complement to ZrO_2-toughening of Al_2O_3 (3) 195
transformation around, stress-induced, kinematic model for (3) 208
Creep,
of Al_2O_3, concurrent grain growth during (2) C37
of $Mn_{1-x}O$ (6) C114
of SiC-AlN ceramics, at elevated temps. (11) C279
behavior, of V-doped forsterite crystals (10) 770
during sintering, of porous CdO compacts (1) 58
superplastic, of fine-grained $BaTiO_3$ in reducing environment (9) C215
tensile, estimating from flexure data (5) C108
Crushing,
during grinding, crack branching as mechanism of (8) 603
Crystallization,
of $PbTiO_3$, distorted cubic (10) C256
of $2TiO_2{\cdot}5Nb_2O_5$, monoclinic (7) C150
of glasses, MgO-Al_2O_3-SiO_2-ZrO_2 (3) 292
Y aluminosilicate containing CaO (6) C130
Y aluminosilicate containing ZnO (12) C294
of powders, glass, kinetics of (11) 837
of solid solutions, fluorite-type, from alkoxides in system Y_2O_3-TiO_2 (8) C166
Crystallography,
of eutectics, directionally solidified NiO-Gd_2O_3 (1) C6
lattice parameters, for Y_2O_3-PSZ (4) 325
tetragonal variants, twin-related, in Y-PSZ (2) C18
of transformations, stress-induced martensitic, in PSZ (3) 259
$t \rightarrow m$, in MgO-PSZ (7) 547
Crystals,
Ba fluorozirconate, in ZrF_4-BaF_2-LaF_3-AlF_3-NaF glass, microstructure and evolution (8) 585
$Ba_2Ti_9O_{20}$, chemistry of (12) 858
$Ba_3V_4O_{15}$, synthesis and unit-cell determination (5) C103
SiC, oxidation kinetics (9) 674
V-doped forsterite, creep behavior (10) 770
Y_2O_3-PSZ, dissolution and reaction in hydrothermal solutions (7) 583
microscopy of Y_2O_3 partitioning (1) C3
Y-PSZ, twin-related tetragonal variants in (2) C18
poly-, t-ZrO_2 reinforced with SiC whiskers (3) 288
Defects,
clusters, in nonstoichiometric 3*d* transition-metal monoxides (8) 619
compensating, in highly donor-doped $BaTiO_3$ (6) 507
fluid inclusions, unstable spreading in grain boundary under normal stress (9) 708
voids, in Ca phosphate glass-ceramics, periodic accumulation of (2) C31
Deformation,
of TaC, model for (8) 612
plastic, of Y_2O_3-PSZ (3) 281
for Y_2O_3-PSZ, tetragonal (3) 198
shear, of powder compacts (6) 499
Densification,
of compacts, powder (6) 499
enhanced, application of diphasic xerogels for (7) C155
of two-dimensional arrays, during sintering (11) 822
Density, Y_2O_3-PSZ (4) 325
contributions, in preceramic polymer/ceramic powder systems, model for (5) C106
of glasses, molten Na aluminosilicate (5) 396
Dental ceramics,
bonding, of glass to Ni-Cr alloys (10) C239
porcelain, frit, leucite-containing, phase changes in (4) C69
toughening by tetragonal ZrO_2 additions (4) C75
Diagrams,
powder compaction response, generation of (10) C246
Dielectric materials,
$Ba(Mg_{1/3}Ta_{2/3})O_3$, preparation using oxine (4) C82
Pb-Mg niobate, microstructure (8) C188
composition near $BaO{\cdot}Nd_2O_3{\cdot}5TiO_2$, matrix phase in (10) C234
Dielectric properties,
of $BaTiO_3$, Nd_2O_3-modified (9) 689
of Pb Mg niobate, effect of powder purity and second phases (12) C130
loss, of ZrO_2-3% Y_2O_3 (7) 573
Diffusion,
Ag-Na exchange, in Na galliosilicate glasses (5) C110
Cs^+ and Cl^-, in cements, retardation with admixtures (4) 356
in glass, activation enthalpy (10) C237
self-, of Si in SiC, model for (2) C33
Dopants,
distribution, in Y-doped sapphire (8) C195
Elasticity,
of gels, SiO_2 prepared with tetraethoxysilane (11) 775
viscoelastic-, of composites, universal stress analysis method of (2) 102
Electrical properties,
conductivity, of Al_2O_3:Fe + Y (12) 888
of Y_2O_3 as function of O partial pressure in wet and dry atmospheres (11) 784
dc conductivity, of Y_2O_3 as function of water vapor pressure (11) 780
Electronics,
perovskite $Pb(Mg_{1/3}Nb_{2/3})O_3$, preparation using $Pb_3Nb_2O_8$ and MgO (11) C287
Energy,
Si 2*p* binding, shifts in Si oxynitride films (4) 314
point defect, in cubic ZrO_2, theoretical estimates of (3) 277
Enthalpy,
activation, for diffusion in glass (10) C237
Equilibrium,
N-nitride, in molten U-Th-Sn alloys (11) 833
redox, characterization, of simulated nuclear waste glass (5) 411
volume relaxation far from (5) 374
Etching,
HF acid, weakening of Na_2O-CaO glass by particle impact during (7) C153
Eutectics,
Al_2O_3-$ZrO_2(Y_2O_3)$, oriented, interfaces in (3) 252
NiO-Gd_2O_3, directionally solidified, crystallography of (1) C6
ZrC-ZrB_2 and ZrC-TiB_2, mechanical properties (4) 317
Evaporation,
of MgO, from MgO-PSZ, enhancement of (2) 111
Expansion,
dilatation, of differently heat-treated MgO-PSZs (7) 578
of porous glass (6) 473
thermal, coeffs. of Y_2O_3-PSZ (3) 270
of hexagonal (6H) polytype SiC (12) 863
Fatigue,
of fibers, optical (6) C132
loading tests, incremetal, effect of step size (11) C267
Ferrites,
Ni-Zn, formation in presence of molten Li_2SO_4-Na_2SO_4 (4) 322
Ferroelectric materials,
Ba-Pb titanate, PTCR, new phenomenon in (8) C176
$BaTiO_3$, doped, SEM and TEM study of domains in (8) 594
Fiber optics,
strength measurements, by bending (11) 815
weakening of, fatigue (6) C132
Fibers,
SiC, stability of, thermochemical analysis (10) C231
Films,
Cr_2O_3, coherent perovskite particles growing in (11) C264
Si oxynitride, Si 2*p* binding energy shifts (4) 314
intergranular, in Synroc (4) 347
resistors, liquid-phase sintering in processing—comment (2) C40
liquid-phase sintering in processing—reply (2) C40
Filtration,
colloidal, in slip casting, theory of (12) 882
Flow,
superplastic, in fine-grained Al_2O_3 (2) 135
Fluorides,
LiF, pore-grain boundary configurations in (10) 735
Fluorine,
and Mg, effect on polymorphism of C_3S (9) 670
Formation,
of $BaTiO_3$ and $PbTiO_3$, from organometallic precursors (9) 682
of glasses, Y aluminosilicate containing CaO (6) C130
Y aluminosilicate containing ZnO (12) C294
Forsterite,
crystals, V-doped, creep behavior (10) 770
Fracture,
analysis, by Knoop and Vickers indentation (5) 392
impact, of chemically tempered glass helicopter windshields (9) 713
mixed-mode, of ceramics in diametral compression (6) 437
orgins, processing-related (1) 66
stress, thermal, brittle materials, by heat transfer in liquid quenching medium (4) C87
toughness, of MgO-PSZ (3) 226
Friction,
internal, of ZrO_2-3% Y_2O_3 (7) 573
Furnaces,
glassmelting, effect of air bubbling on circulation and heat transfer (5) 382
Gallium,
oxide, effect on structure of Na silicate glasses (7) C146
Garnets,
systems, multicomponent Y, experimental-statistical study (10) 767
Germanium,
-modified cordierite, with low thermal expansion (12) 847
Glass,
CuO-PbO-SiO_2, Raman and FTIRS (6) 449
GeO_2, dependence of Na ion mobility on melt atm (1) C10
MgO-Al_2O_3-SiO_2-ZrO_2, crystallization of (3) 292
Na aluminosilicate, molten, density of (5) 396
Na and K galliosilicate, viscosity and thermal expansion of (2) 126
Na galliosilicate, Ag-Na exchange in (5) C110
Na silicate, effect of Ga oxide on structure (7) C146
Na_2O-CaO, comparison of liquid-N strength and high-stressing-rate strength (8) C168
weakening by particle impact durin HF acid etching (7) C153
$NaPO_3$, doped with metal nitrides and oxides, cation effects in (5) 400
SiO_2, with organic molecules, preparation by sol-gel process (4) C72
SiO_2-TiO_2-ZrO_2, from alkoxides (7) C148
Y aluminosilicate, containing CaO, formation and crystallization (6) C130
containing ZnO, formation and crystallization (12) C294
ZrF_4-BaF_2-LaF_3-AlF_3-NaF, microstructure and evolution of BA fluorozirconate crystal in (8) 585
abraded or indented, origin of strength increase upon annealing (8) C186
alkaline-earth silicate, structural environment of P in, NMR study (10) C222
coatings on, yellow, produced by sol-gel process (6) C127
coloration, with H (12) C299
cordierite, and glass-ceramic, comparative diamond scratching behavior (12) C296
dental, bonding to Ni-Cr alloys (10) C239
diffusion in, activation enthalpy (10) C237
fluoride, calorimetric analysis, viscous flow vs phase separation during (12) C306
chemical durability (9) 661
fluorozirconate, chemical durability (9) 661
gel-, in system SiO_2-GeO_2, structure, spectroscopic study (11) 806
heavy-metal fluoride, corrosion in water (12) 852
melting, behavior, effect of batch moisture on (4) C84
-melts, behavior of multicomponent gas bubbles in (2) 149
mixed-alkali borate, viscosity and thermal expansion (12) C292
normal and anomalous, impact of steel spheres on surfaces (5) 404
nuclear waste, W. Valley, development by modeling (2) 114
ferrous/ferric Mossbauer analysis—comment (7) C160
ferrous/ferric Mossbauer analysis—reply (7) C162
foaming in liquid-fed melting (5) 413
redox characterization (5) 411
temp. dependence, fracture toughness, and elastic moduli (7) C138
porous, dilatation of (6) 473
powders, preparation of mullite-ZrO_2 composites from (3) 297
sintering and crystallization, kinetics of (11) 837
spheres, strengths in compression (6) 467
systems, B_2O_3-SiO_2 and ZrO_2-SiO_2, prepared by sol-gel process, dehydration of—comment (1) C12
CaO-Ga_2O_3-GeO_2, formation and properties—comment (6) C134
CaO-Ga_2O_3-GeO_2, formation and properties—reply (6) C134
windshields, chemically tempered helicopter, impact fracture of (9) 713
Glass-ceramics,
Ca phosphate, periodic accumulation of voids in (2) C31
ZrO_2-transformation-toughened, sol-gel preparation from metal alkoxides (2) 99
Glass industry,
furnaces, effect of air bubbling on circulation and heat transfer (5) 382
Grain boundaries,
cavitation and bloating, of hot-pressed MgO-PSZ on air annealing (3) 248
effect in CeO_2, doped with trivalent cations, electrical measurements (9) 641
doped with trivalent cations, microstructure and microanalysis (9) 647
migration, in LiF (2) 119; (4) 299
planar, concave, and convex, origin during exaggerated grain growth (5) C91
under normal stress, unstable spreading of fluid inclusion in (9) 708
Grain growth,
in CdO, dense (7) C152
in calcite, effect of second-phase particles (11) C272
concurrent, during creep of polycrystalline Al_2O_3 (2) C37
coupled, effects in Al_2O_3/10 vol% ZrO_2 (6) C120
during sintering, of donor-doped $BaTiO_3$ (1) C8
exaggerated, in ZrO_2-toughened Al_2O_3 (3) 231
origins of boundaries during (5) C91
Grinding (comminution),
crushing during, crack branching as mechanism of (8) 603
Hardening,
precipitation, of Y_2O_3-PSZ (3) 285
solid-solution, of Y_2O_3-PSZ (3) 281
Heterogeneity,
multiple, effect on sintering rates (4) C64
Humidity,
-sensitive electrical conduction, of ZnO-$Ni_{1-x}Li_xO$ heterocontacts (7) C143
Hydration,
of CA, kinetics of (4) 361
of cement, simulation of microstructure during (11) 790
Hydrogen,
coloration of glasses with (12) C299
Immiscibility,
in systems, CoO-NiO (10) C248
Impact,
of steel spheres, on surfaces of normal and anomalous glasses (5) 404

Indentation,
Knoop and Vickers, in analysis as 3-dimensional fracture (5) 392
elastic-plastic contact damage, in PLZT (9) 657
Interfaces,
ZrO_2/Al_2O_3, incoherent, structure of (3) 256
in eutectics, oriented Al_2O_3-ZrO_2 (Y_2O_3) (3) 252
fiber-matrix, in ceramic matrix composites, frictional stress evaluation along (9) C208
Ions,
Al, redistribution during processing of sialon (8) 623
Cs^+ and Cl^-, diffusion in blended cements, retardation with admixtures (4) 356
Na, mobility, dependence on melt atmosphere in GeO_2 glasses (1) C10
cation, effects, in $NaPO_3$ glasses doped with metal nitrides and oxides (5) 400
solids, ionic and mixed ionic/covalent, stress corrosion of (10) 721
Iron,
Fe_2O_3, solid-state reactions of CaO powders with (8) 608
solute, effect on structure of twist boundaries in MgO (10) 753
Joints,
ceramic/metal, strength in tensile and three-point bending (10) C235
Kaolin,
-mullite thermal sequence, spinel phase formed in (10) C251
Kinetics,
formation, of $BaTiO_3$ and $PbTiO_3$ from organometallic precursors (9) 682
of hydration, of monocalcium aluminate (4) 361
oxidation, of SiC crystals and ceramics (9) 674
of phase transformation, in system TiO_2-SnO_2 outside coherent spinodal (12) C310
Lead,
Mg niobate, effect of powder purity and second phases on dielectric properties (12) C130
PLZT, elastic-plastic contact damage in (9) 657
$Pb_3Nb_2O_8$ and MgO, preparation of perovskite $Pb(Mg_{1/3}Nb_{2/3})O_3$ using (11) C287
Pb_3GeO_5, new modification of (2) C20
$PbTiO_3$, distorted cubic, crystallization and transformation (10) C256
Liquids,
inclusion, in grain boundary under normal stress, unstable spreading of (9) 708
Lithium,
LiF, grain-boundary migration in (2) 119; (4) 299
pore-grain boundary configurations in (10) 735
reaction with $BaTiO_3$ during sintering (8) C193
Luminescence,
cathodo-, for studying phase distributions and deformation structures in ZrO_2,—comment (3) C57
for studying phase distributions and deformation structures in ZrO_2,—reply (3) C58
Magnesium,
segregation, to surface of single-crystal Al_2O_3 (5) C101
Magnesium oxide,
dense layer, formation near surface of MgO-C bricks (9) C213
evaporation, from MgO-PSZ, enhancement of (2) 111
solute, effect of microstructure of Al_2O_3 (2) 143
twist boundaries, effect of Fe solute on structure (10) 753
Manganese,
$Mn_{1-\delta}O$, creep of (6) C114
Materials,
microcracked, effective fracture toughness (3) 212
Materials, engineering,
Al_2O_3, -ZrO_2, coupled grain growth effects in (6) C120
ZrO_2-toughened, sintered and isostatically hot-pressed, strength-toughness relations (3) 169
topotactic growth on α-Al_2O_3 (2) C25
Ca oxyhydroxyapatite, trivalent-cation-substituted (8) 590
PSZ, two *R* curves for (3) 203
SiC-AlN, elevated-temp. creep of (11) C279
Y_2O_3-PSZ, toughened, mechanical properties (8) 638
ZrO_2, -Al_2O_3 mixtures, stability of ZrO_2 phases in (2) 83
and ZrO_2/Al_2O_3, hot-forging characteristics of (8) C172
cubic, theoretical estimates of point defect energies in (3) 277
reversible stress-induced martensitic transformation in (3) 215
ZrO_2-containing, implications of transformation plasticity in (3) 181; (3) 189
composites, Al_2O_3/ZrO_2, laminated, tape casting of (8) C191
laminated, tensile and shear properties (6) 481
diphasic xerogels, Al_2O_3-SiO_2 system—comment (8) C202
Al_2O_3-SiO_2 system—reply (8) C204
mullite, sintered, microstructural study of (2) C29
systems, ZrO_2-Y_2O_3, correlations between grain size control and composition (3) 240
toughening, transformation (3) i
Materials, raw,
kaolinite, dickite, and nacrite, dehydroxylation mechanism (1) 61
Measurement,
of C:metal ratio, in nonstoichiometric TiC, (1) C2
electrical conductivity, to detect liquid phase in system Al_2O_3-1 mol% TiO_2-0.5 mol% $NaO_{1/2}$ (10) C254
electrophoretic mobility, surface characterization of ultrafine ZrO_2-SiO_2 powders by (3) C50
strength, of optical fibers by bending (11) 815
Mechanical properties,
of MgO-PSZ, effect of SrO additions (7) 541
of Y_2O_3-PSZ (8) 638
after aging at high temp. (7) 519
of commercial aluminas, effect of ZrO_2 additions (7) 523
of eutectics, ZrC-ZrB_2 and ZrC-TiB_2 (4) 317
Melts,
glass-, behavior of multicomponent gas bubbles in (2) 149
Mica,
synthetic, high-pressure hot isostatic pressing of (8) C182
Microscopy,
SEM and TEM, of ferroelectric domains in doped $BaTiO_3$ (8) 594
TEM, of NiO-CuO solid solutions, cation order (11) 800
of NiO-CuO solid solutions, long-range cation order (11) 800
of martensitic phase transformation in tetragonal ZrO_2 (7) 570
of microstructure of NiO-CuO solid solutions (11) 796
oxide reduction of NiO-containing solid solutions during (6) C124
electron, of Y_2O_3 partitioning in Y_2O_3-PSZ (1) C3
Migration,
grain-boundary, in LiF (2) 119; (4) 299
Mobility,
Na ion, dependence on melt atm in GeO_2 glasses (1) C10
Models,
for deformation behavior, of TaC (8) 612
of density contributions, in preceramic polymer/ceramic powder systems (5) C106
for glass, W. Valley nuclear waste (2) 114
kinematic, of stress-induced transformation around cracks (3) 208
mathematical, of viscosity measurements of viscoelastic solids (3) C48
for powder having generations of agglomerates, fractal dimensions (11) C278
thermodynamic, for nonstoichiometric ionic phases, application to CeO_{2-x} (10) 732
Moisture,
batch, effect on melting behavior of glass (4) C84
Morphology,
of tetragonal precipitates, in PSZ (7) 564
Mullite,
-ZrO_2, composites, prepared from sol-gel powders, processing and microstructures (3) 268
ZrO_2-toughened, preparation and properties (3) 265
formation, from SiO_2-Al_2O_3 xerogels (9) 652
sintered, microstructural study of (2) C29
Nickel,
NiO, cathodes in molten carbonate fuel cells, solubility and transport of (2) 162
solid-solution systems containing, oxide reduction during TEM (6) C124
Niobates,
Pb-Mg, dielectric properties, effect of powder purity and second phases (12) C130
Pb-Mg, microstructure (8) C188
Nuclear materials,
$\langle U_{1-\xi}Ce_\xi O_{2\pm x}\rangle$ and $\langle U_{1-\xi}Ln_\xi O_{2\pm x}\rangle$ (Ln = Y, La, Nd, Gd), review and thermodynamic representation (12) 867
U-Th-Sn alloys, molten, N-nitride equilibria in (11) 833
UO_2, fuel fragments, air oxidation of (2) C16
compounds, magnetoplumbite-type: Further discussion (7) C157
wastes, foaming in liquid-fed melting of glasses for (5) 413
modeling of W. Valley glass for (2) 114
simulated glass for, ferrous/ferric Mossbauer study—comment (7) C160
simulated glass for, ferrous/ferric Mossbauer study—reply (7) C162
simulated glass for, redox characterization of (5) 411
temp. dependence, fracture toughness, and elastic moduli of glass for (7) C138
Nucleation,
in Al_2O_3, at elevated temps. (10) 725
effect on transformation toughening (3) 218
Oxidation,
of UO_2, fuel fragments, in air (2) C16
kinetics, of SiC crystals and ceramics (9) 674
Oxides,
3*d* transition-metal mono-, nonstoichiometric, defect clusters in (8) 619
CeO_2-CaO, ionic conductivity, effect of microstructures on (11) C282
alk-, SiO_2-TiO_2-ZrO_2 glasses from (7) C148
Oxygen,
partial pressure, electrical conductivity of Y_2O_3 as function of (11) 784
Particles,
ZrO_2, coarsening and effect of ZrO_2 additions on mechanical properties of commercial aluminas (7) 523
packings, having multiple generations of agglomerates, fractal dimensions of model (11) C278
perovskite, coherent, in growing Cr_2O_3 films (11) C264
second-phase, effect on grain growth in calcite (11) C272
Pastes,
C,S, TEM analysis of ion-beam-thinned sections (4) 353
Perovskites,
$Pb(Mg_{1/3}Nb_{2/3})O_3$, preparation using $Pb_3Nb_2O_8$ and MgO (11) C287
particles, coherent, growing in Cr_2O_3 films (11) C264
Phase equilibria,
in alloys, ZrO_2-Y_2O_3, by liquid-film migration (3) 243
formation, in system Na_2O-Al_2O_3-CaO-Al_2O_3-Al_2O_3 (2) 54
systems, Ba_2SiO_4-Ca_2SiO_4 (2) 132
BaO, TiO_2, B_2O_3, V_2O_5, and MoO_3 (11) 811
CoO-MnO (12) 877
Mn-Cr-Al-O and Co-Cr-Al-O, spinel-corundum (6) 487
$Na_2TiSi_2O_{11}$-$Na_2Ti_2Si_2O_9$ (2) C27
Si_3N_4-AlN-rare-earth oxide, subsolidus phase relationships in (10) C241
TiO_2-$Bi_2Ti_4O_{11}$ (5) C93
ZrO_2-TiO_2 (11) 827
Phases,
β-containing, in sintered α-SiC (9) 695
liquid, in system Al_2O_3-1 mol% TiO_2-0.5 mol% $NaO_{1/2}$, electrical conductivity measurements to detect (10) C254
matrix, in ceramics with composition near $BaO{\cdot}Nd_2O_3{\cdot}5TiO_2$ (10) C234
nonstoichiometric K_2NiF_4-type, in system La-Co-O (9) 699
nonstoichiometric ionic, thermodynamic model for, application to CeO_{2-x} (10) 732
spinel, formed in kaolin-mullite thermal sequence (10) C251
Phosphorus,
in alkaline-earth silicate glasses, NMR study (10) C222
Physical properties,
of mullite, ZrO_2-toughened (3) 265
Physics,
stresses, thermal, in circular rod specimens subjected to sudden radiative cooling (3) C52
Pipe,
ceramic-lined, vacuum centrifugal-thermite process for producing (4) C85
composite, by centrifugal-exothermic process (4) C80
Polymorphism,
of C,S, effect of F and Mg (9) 670
Porcelain,
dental, leucite-containing frit, phase changes in (4) C69
strengthening by ZrO_2 addition (4) C75
Pores,
-grain boundary configurations, in LiF (10) 735
large, during sintering and hot isostatic pressing (6) 444
Porosity,
in Al_2O_3, sintered, neutron scattering from (11) C285
Porous materials,
glass, dilatation of (6) 473
Powders,
Al_2O_3, preparation in alcohol (8) C174
CaO, and Fe_2O_3, solid-state reactions between (8) 608
Si/C/N, laser synthesis (8) C183
β-SiC, with Al-B-C additives, hot-pressing of (4) C67
SiO_2-GeO_2, preparation by plasma torch (5) C90
ZrO_2-SiO_2, surface characterization by electrophoretic mobility measurements (3) C50
c-BN, compaction of (4) C78
compaction response diagrams, generation of (10) C246
composite, Al_2O_3-TiO_2, preparation and sintering (2) C22
glass, preparation of mullite-ZrO_2 composites from (3) 297
sintering and crystallization, kinetics of (11) 837
particle packings, having multiple generations of agglomerates, fractal dimensions of model (11) C278
preceramic polymer/ceramic, modeling density contributions in (5) C106
Precipitates,
tetragonal, in PSZ, morphology of (7) 564
Precipitation,
of α-Al_2O_3, in MgO-$2Al_2O_3$ spinel solid solution (5) 365
of MgO-PSZ, during controlled cooling (7) 556
YAG, at surfaces of Y-doped α-Al_2O_3 (8) C196
hardening, of Y_2O_3-PSZ (3) 285
Pressing,
hot, of β-SiC powder with Al-B-C additives (4) C67
hot isostatic, of aluminosilicates, effects on strength (7) C140
pore behavior during (6) 444
of synthetic mica (8) C182
Pressure,
O partial, electrical conductivity of Y_2O_3 as function of (11) 784
water vapor, dc conductivity of Y_2O_3 as function of (11) 780
Pyrometry,
digital, study of solidification point of CaO by (10) C243
Reactions,
of H, with glasses (12) C299
of ZrO_2, Y_2O_3-PSZ, in hydrothermal solutions (7) 583
kaolin-mullite, structural characterization of spinel phase in—comment (8) C200
structural characterization of spinel phase in—reply (8) C201
solid-state, between CaO powder and Fe_2O_3 (8) 608
Relaxation,
functions, shear, uniaxial, and biaxial stress (9) 704
vol, far from equilibrium (5) 374
Resistors, electrical,
thick-film, liquid-phase sintering in processing—comment (2) C40
liquid-phase sintering in processing—reply (2) C40
varistors, ZnO, effect of Bi sesquioxide on properties (5) 430
Rutile,
and anatase, reaction with $SrCO_3$ (4) 310
Salts,
molten, corrosion of SiC by, kinetics and mechanism (1) 74

Sampling,
microstructural, of Al_2O_3, preparation with borate glaze (3) C54
Sapphire,
Y-doped, dopant distribution in (8) C195
Scattering,
neutron, from porosity in sintered Al_2O_3 (11) C285
Segregation,
of Mg, to surface of single-crystal Al_2O_3 (5) C101
Y, at surfaces of Y-doped α-Al_2O_3 (8) C196
Semiconductors,
CdO, grain growth in (7) C152
Separation,
phase, during calorimetric analysis of fluoride glasses, viscous flow vs (12) C306
Shock resistance,
high, development of Al titanate-mullite composite with (10) C226
thermal, of brittle materials (8) 634
Sialons,
processing, redistribution of Al ions during (8) 623
Silicates,
Na alumino-, molten, density of (5) 396
alumino-, effects of postsintering hot isostatic pressing on strength (7) C140
gels, solid-state ^{27}Al and ^{29}Si NMR study (3) C42
dicalcium, preparation of (8) C170
Silicon,
oxynitride, films, Si 2*p* binding energy shifts (4) 314
self-diffusion, in SiC, model for (2) C33
Silicon carbide,
-AlN ceramics, creep at elevated temps. (11) C279
Si self-diffusion in, model for antisite defect motion (2) C33
α-, mechanism of strength degradation for hot corrosion (10) 741
sintered, B-containing phases in (9) 695
β-, powder with Al-B-C additives, hot-pressing of (4) C67
corrosion, by molten salts, kinetics and mechanism of (1) 74
crystals and ceramics, oxidation kinetics (9) 674
fibers, stability of, thermochemical analysis (10) C231
hexagonal (6H) polytype, thermal expansion of (12) 863
sintering, aids for (12) C308
whiskers, *t*-ZrO_2 reinforced with (3) 288
Silicon dioxide,
-GeO_2 powders, preparation by plasma torch (5) C90
amorphous, with organic molecules, preparation by sol-gel process (4) C72
gels, prepared with tetraethoxysilane, elastic moduli (11) 775
Silicon nitride,
compacts, green, preparation and sintering (2) 88
synthesis, by combustion reaction under high N_2 pressure (4) C60
Silver,
-Na exchange, in Na galliosilicate glasses (5) C110
Sintering,
Al_2O_3, structure and grain coarsening during (2) 107
$BaTiO_3$, donor-doped, grain growth during (1) C8
reaction with LiF during (8) C193
Si_3N_4, compacts, green homogeneous (2) 88
SiC, aids for (12) C308
ZrO_2, in HCl atm (7) 580
compacts, porous CdO, creep during (1) 58
composites, with glass or ceramic matrix, analysis of (3) C55
liquid-phase, in thick-film resistor processing—comment (2) C40
in thick-film resistor processing—reply (2) C40
pore behavior during (6) 444
of powders, composite Al_2O_3-TiO_2 (2) C22
glass, kinetics of (11) 837
rates, effect of multiple heterogeneities (4) C64
of two-dimensional arrays, rearrangement during (11) 822
viscous, under uniaxial load (9) C206
Slips,
casting, theory of colloidal filtration (12) 882
Solidification,
point, of CaO, digital pyrometry study (10) C243
Solids,
ionic, and mixed coalent/ionic, stress corrosion of (10) 721
viscoelastic, mathematical model of viscosity measurements of (3) C48
Solubility,
of TiO_2, in ZrO_2 (11) C269
aqueous, relationships for two types of Ca silicate hydrate (8) 614
Solutions, solid,
$(Ti,Mo)O2$, activity-composition relationships (9) 717
CeO_2-CaO, effect of microstructures on ionic conductivity (11) C282
NiO-CuO, cation order, TEM study (11) 800
microstructure, TEM analysis (11) 796
thermodynamics of formation (6) 453
NiO-containing, oxide reduction during TEM (6) C124
fluorite-type, crystallization from alkoxides in system Y_2O_3-TiO_2 (8) C166
spinel, MgO·$2Al_2O_3$, precipitation of α-Al_2O_3 in (5) 365
in systems, $LaMgAl_{11}O_{19}$-$LaMgGa_{11}O_{19}$-$LaMgFe_{11}O_{19}$—comment on (11) C289
$LaMgAl_{11}O_{19}$-$LaMgGa_{11}O_{19}$-$LaMgFe_{11}O_{19}$—reply (11) C290
Spectroscopy,
^{27}Al and ^{29}Si NMR, of synthetic and natural clays (3) C45
IRS, of carbonate associated with hydroxide sol-gel processing of Y_2O_3 (5) 423
Raman, and FTIR, of CuO-PbO-SiO_2 glasses (6) 449
perturbed angle correlation, of structure of ZrO_2 (6) 458
vibrational, of structure of gels and gel-glasses in system SiO_2-GeO_2 (11) 806
Spheres,
glass, in compression, strengths of (6) 467
steel, impact on surfaces of normal and anomalous glasses (5) 404
Spinels,
-corundum equilibria, in systems Mn-Cr-Al-O and Co-Cr-Al-O (6) 487
defect, $MgAl_2O_4$-$Al_{8/3}O_4$, thermochemistry of (5) 418
phase, from SiO_2-Al_2O_3 xerogels, characterization (9) 652
formed in kaolin-mullite thermal sequence, characterization (10) C251
in kaolin-mullite reaction series, structural characterization—comment (8) C200
in kaolin-mullite reaction series, structural characterization—reply (8) C201
Stability,
of $Ba_2Ti_9O_{20}$ (12) 858
of fibers, SiC, thermochemical analysis (10) C231
Strains,
transformation, in binary elastic composites (12) C301
Strength,
of ZrO_2, alloys, transformation-toughened, limitations (7) 511
transformation-toughened (3) 173
of aluminosilicates, effects of hot isostatic pressing (7) C140
bending, of diffusion-bonded Al_2O_3 (8) C178
of ceramic/metal joints, in tensile and three-point bending (10) C235
degradation, for hot corrosion of α-SiC, mechanism (10) 741
fracture, of MgO-PSZ (3) 226
effective, of microcracked materials (3) 212
increase, upon annealing abraded or indented glass, origin of (8) C186
liquid-N and high-stressing-rate, of Na_2O-CaO glass, comparison of (8) C168
of optical fibers, bending test for (11) 815
tensile, and shear, of laminated composites (6) 481
tests, incremental loading, effect of step size (11) C267
Strengthening,
Al_2O_3, by reactions with Si film (9) C210
porcelain, dental, by tetragonal ZrO_2 addition (4) C75
tetragonal ZrO_2, by ferroelastic domain switching (10) C224
transformation, case study of ZrO_2 (6) C125
effect of nucleation on (3) 218
Stresses,
behavior, of monolithic fuel cell tapes (8) 628
of composites, viscoelastic-elastic, universal method of analysis (2) 102
distribution, in multiphase systems (4) 342
frictional, along fiber-matrix interface in ceramic matrix composites (9) C208
internal, effect on martensitic transformation of Y_2O_3-PSZ (7) 534
surface, effect on identation cracking (3) 223
thermal, in circular rod specimens subjected to sudden radiative cooling (3) C52
uniaxial and biaxial, relaxation functions (9) 704
Structure,
of Al_2O_3, during sintering (2) 107
of ZrO_2, spectroscopic study (6) 458
crystal, of cordierite and its solid solutions (6) 492
defect, of Nd_2O_3-modified $BaTiO_3$ (9) 689
deformation, in ZrO_2, cathodoluminescence study—comment (3) C57
in ZrO_2, cathodoluminescence study—reply (3) C58
of gels and gel-glasses, in system SiO_2-GeO_2, spectroscopic study (11) 806
of glasses, Na silicate, effect of small concentrations of Ga oxide (7) C146
of interfaces, incoherent ZrO_2/Al_2O_3 (3) 256
proposed, for Ca silicate hydrate gel (6) 464
of spinel phase, in kaolin-mullite reaction series—comment (8) C200
in kaolin-mullite reaction series—reply (8) C201
surface, of α-Al_2O_3, identification by electron diffraction (9) C217
of twist boundaries, in MgO, effect of Fe solute (10) 753
Structure, micro-,
of Al_2O_3, effect of MgO solute on (2) 143
sample preparation with borate glaze (3) C54
seeding with γ-Al_2O_3 to control (5) C98
of Pb-Mg niobate (8) C188
of cement, simulation of development during hydration (11) 790
of composites, mullite-ZrO_2 prepared from sol-gel powders (3) 268
of crystals, Ba fluorozirconate in ZrF_4-BaF_2-LaF_3-AlF_3-NaF glass (8) 585
grain-boundary, of MgO-PSZ, effect of SrO additions (7) 541
of mullite, sintered from premullite (2) C29
resulting from cubic to tetragonal transformation, in ZrO_2-Y_2O_3 alloys (10) C258
in ZrO_2-Y_2O_3 alloys—reply (10) C262
of solid solutions, CeO_2-CaO, effect on ionic conductivity (11) C282
NiO-CuO, TEM study (11) 796
Sulfates,
Li_2SO_4-Na_2SO_4, molten, formation of Ni-Zn ferrite in presence of (4) 322
Surface,
of α-Al_2O_3, identification of structure by electron diffraction (9) C217
characterization, of ultrafine ZrO_2-SiO_2 powders, by electrophoretic mobility measurements (3) C50
pore, in Synroc (4) 347
specific, of Al_2O_3 from Al-ammonium alum, effect of additives (8) C179
stress, effect on indentation cracking (3) 223
Switching,
ferroelastic domain, as toughening mechanism in tetragonal (10) C224
Synroc,
intergranular films and pore surfaces in (4) 347
Synthesis,
of BN, using BPO_4 as B source (5) C95
of $Ba_2Ti_9O_{20}$ (12) 858
of $Ba_3V_4O_{13}$, and unit-cell determination (5) C103
of Si_3N_4, by combustion reaction under high N_2 pressure (4) C60
alkoxide precursor, and phase characterization in Ba-Ti oxide system (2) 155
laser, of Si/C/N powders (8) C183
Systems,
Al_2O_3-1 mol% TiO_2-0.5 mol% $NaO_{1/2}$, electrical conductivity measurements to detect liquid phase (10) C254
Al_2O_3-SiO_2, enhanced densification of (7) C155
Ba_2SiO_4-Ca_2SiO_4, phases in (2) 132
Ba-Ti oxide, phase characterization of (2) 155
BaO, TiO_2, B_2O_3, V_2O_5, and MoO_3, phase relations between polytitanates of Ba and (11) 811
CaO-Ga_2O_3-GeO_2, glass formation and properties—comment (6) C134
glass formation and properties—reply (6) C134
CoO-MnO, thermodynamic assessment (12) 877
CoO-NiO, immiscibility in (10) C248
La-Co-O, nonstoichiometric K_2NiF_4-type phases in (9) 699
$LaMgAl_{11}O_{19}$-$LaMgGa_{11}O_{19}$-$LaMgFe_{11}O_{19}$, solid solutions in—comment (11) C289
solid solutions in—reply (11) C290
Mn-Cr-Al-O and Co-Cr-Al-O, spinel-corundum equilibria in (6) 487
Na_2O·Al_2O_3-CaO·Al_2O_3-Al_2O_3, phase formation in (2) 94
$Na_2TiSi_4O_{11}$-$Na_2Ti_2Si_2O_9$, phase relations in (2) C27
NaCl-KCl-$AlCl_3$-NaF-KF-AlF_3, subsolidus compatibility in (4) 333
NiO-CuO, thermodynamics of solid-solution formation (6) 453
NiO-Gd_2O_3, crystallography of eutectics in (1) C6
Si_3N_4-AlN-rare-earth oxide, subsolidus phase relationships in (10) C241
SiO_2-GeO_2, structure of gels and gel-glasses in (11) 806
SrO-Al_2O_3, new compound in (2) C36
TiO_2-$Bi_4Ti_4O_{11}$ (5) C93
TiO_2-SnO_2, outside coherent spinodal, kinetics of phase transformation (12) C310
Y_2O_3-TiO_2, crystallization of fluorite-type solid solution from alkoxides in (8) C166
ZrO_2-TiO_2, low-temp. phase relationships in (11) 827
multicomponent Y garnet, experimental-statistical study (10) 767
multiphase, stress distribution in (4) 342
Tantalates,
$Ba(Mg_{1/3}Ta_{2/3})O_3$, preparation using oxine (4) C82
Tantalum,
TaC, deformation behavior, model for (8) 612
Tension,
creep under, estimating from flexure data (5) C108
Tests,
bending, for measuring optical fiber strength (11) 815
drop, for crack length measurement, sensitivity of (7) C136
flexure, estimating tensile creep from (5) C108
loading, incremental, effect of step size (11) C267
scratching, single-point diamond, on cordierite glass and glass-ceramic (12) C296
tensile and three-point bending, relationship between strength of ceramic/metal joints (10) C235
Thermal properties,
expansion, of Na and K galliosilicate glasses (2) 126
coeff., anisotropic, of Y_2O_3-PSZ (3) 270
of cordierite and its solid solutions (6) 492
of hexagonal (6H) polytype SiC (12) 863
of mixed-alkali borate glasses (12) C292
high shock resistance, development of Al titanate-mullite composite with (10) C226
low expansion, Ge-modified cordierite with (12) 847
shock resistance, of brittle materials (8) 634
spall resistance, of brittle coatings, laser technique for evaluating (2) 139
Thermodynamics,
of $\langle U_{1-x}Ce_xO_{2\pm x}\rangle$ and $\langle U_{1-x}Ln_{\pm x}\rangle$ (Ln = Y, La, Nd, Gd) (12) 867
mixing properties, of Na-K β''-aluminas (4) C62
of solid-solution formation, in NiO-CuO (6) 453
of systems, CoO-MnO (12) 877
Titanates,
$Ba_2Ti_9O_{20}$, synthesis, stability, and crystal chemistry (12) 858
Ba-Pb, PTCR, new phenomenon in (8) C176

$BaTiO_3$ and $PbTiO_3$, kinetics of formation from organometallic precursors (9) 682
$PbTiO_3$, distorted cubic, crystallization and transformation (10) C256
poly- of Ba, phase relations with Ba borates, vanadates, and molybdates (11) 811

Titanium,
Ti_3B_4 phase, evidence for (1) C4
TiC_x, nonstoichiometric, measurement of C:metal ratio (1) C2

Titanium dioxide,
and MoO_2, similarity in crystal structure (9) 717
in ZrO_2, solubility (11) C269

Transformations,
in α-Al_2O_3, seeding with γ-Al_2O_3 to control (5) C98
of $PbTiO_3$, distorted cubic (10) C256
cycled phase, in ZrO_2, direct observation of (6) C116
diffusionless cubic to tetragonal, in ZrO_2-Y_2O_3 alloys, microstructures resulting from (10) C258
in ZrO_2-Y_2O_3 alloys, microstructures resulting from—reply (10) C262
martensitic, in Y_2O_3-PSZ, effect of internal stresses (7) 534
reversible stress-induced in ZrO_2 (3) 215
stress-induced, in PSZ, crystallography of (3) 259
martensitic phase, in tetragonal ZrO_2, TEM study (7) 570
phase, in system TiO_2-SnO_2 outside coherent spinodal, kinetics of (12) C310
plasticity, in ZrO_2-containing ceramics, implications of (3) 181; (3) 189
strain, in binary elastic composites (12) C301
stress-induced, for Y_2O_3-containing tetragonal ZrO_2 (3) 198
around cracks, kinematic model for (3) 208
t→*m*, in MgO-PSZ, crystallography of (7) 547
-toughened ZrO_2 (3) 240
toughening (3) i
case study of ZrO_2 (6) C125
as complement to ZrO_2-toughening of Al_2O_3 (3) 195
effect of nucleation on (3) 218

Transport,
of cathodes, NiO, in molten carbonate fuel cells (2) 162

Uranium,
$\langle U_{1-z}Ce_zO_{2\pm x}\rangle$ and $\langle U_{1-z}Ln_zO_{2\pm x}\rangle$ (Ln = Y, La, Nd, Gd), review and chemical thermodynamic representation (12) 867
fuel, UO_2, air oxidation of fragments (2) C16

Vanadates,
$Ba_3V_4O_{11}$, synthesis and unit-cell determination (5) C103

Viscosity,
of glasses, Na and K galliosilicate (2) 126
mixed-alkali borate (12) C292
measurements, of viscoelastic solids, mathematical model of (3) C48

Volume,
relaxation, far from equilibrium (5) 374

Wastes,
nuclear, foaming in liquid-fed melting of glasses for (5) 413
temp. dependence, fracture toughness, and elastic moduli of glass for (7) C138

Water,
corrosion of glasses in, heavy-metal fluoride (12) 852

Yttrium,
Y_2O_3, dc conductivity as function of water vapor pressure (11) 780
electrical conductivity as function of O partial pressure in wet and dry atms. (11) 784
sol-gel processing, carbonate associated with (5) 423

Zinc oxide,
varistor, effects of Bi sesquioxide on properties (5) 430

Zirconium dioxide,
-Al_2O_3, interfaces, incoherent, structure of (3) 256
MgO-PSZ, differently heat-treated, dilatation behavior (7) 578
effect of SrO additions on grain-boundary microstructure and mechanical properties (7) 541
fracture toughness (3) 226
hot-pressed, grain-boundary cavitation and bloating on air annealing (3) 248
precipitation during controlled cooling (7) 556
t→*m* transformation, crystallography of (7) 547
MgO-stabilized, enhancement of MgO evaporation from (2) 111
PSZ, two *R* curves for (3) 203
crystallography of stress-induced martensitic transformation in (3) 259
morphology of tetragonal precipitates (7) 564
TiO_2 in, solubility (11) C269
-Y_2O_3, transformation-toughened, degradation during aging (3) 237
-Y_2O_3 alloys, microstructures resulting from cubic to tetragonal transformation (10) C258
microstructures resulting from cubic to tetragonal transformation—reply (10) C262
Y_2O_3-PSZ, anisotropic thermal expansion coeffs. (3) 270
crystal dissolution and reaction in hydrothermal solutions (7) 583
high-temp. precipitation hardening of (3) 285
lattice parameters and density (4) 325
mechanical properties after aging at high temp. (7) 519
microscopy of Y_2O_3 partitioning (1) C3
plastic deformation and solid-solution hardening (3) 281
tetragonal crystals, effect of internal stresses on martensitic transformation (7) 534
toughened, mechanical properties (8) 638
Y_2O_3-stabilized, EXAFS study (3) 272
Y-PSZ, internal friction, dielectric loss, and ionic conductivity (7) 573
twin-related tetragonal variants in (2) C18
alloys, transformation-toughened, strength limitations of (7) 511
-containing ceramics, implications of transformation plasticity in (3) 181; (3) 189
crystals, tetragonal poly-, reinforced with SiC whiskers (3) 288
cubic, theoretical estimates of point defect energies (3) 277
cycled phase transformations, direct observation of (6) C116
fine-grained, hot forging characteristics (8) C172
high-temp., structural characterization by perturbed angle correlation spectroscopy (6) 458
phase distributions and deformation structures, cathodoluminescence study—comment (3) C57
cathodoluminescence study—reply (3) C58
phases, stability in ZrO_2-Al_2O_3 mixtures (2) 83
sintering, in HCl atm (7) 580
tetragonal, TEM study of martensitic phase transformation (7) 570
Y_2O_3-containing, stress-induced transformation and plastic deformation (3) 198
ferroelastic domain switching as toughening mechanism (10) C224
-toughened Al_2O_3, exaggerated grain growth in (3) 231
sintered and isostatically hot-pressed, strength-toughness relations (3) 169
-toughened mullite, preparation and properties (3) 265
transformation in, reversible stress-induced martensitic (3) 215
transformation-toughened (6) C125
correlations between grain size control and composition in system ZrO_2-Y_2O_3 (3) 240
glass-ceramics, sol-gel preparation from metal alkoxides (2) 99
strength characteristics (3) 173